



WINDSOR
WINDOWS & DOORS

NEW

NEXT DIMENSION

Vinyl Windows & Doors





Table of Contents

The Versatility of Vinyl	4
Casement & Awning	6
Single Hung	7
Slider	8
Double Hung.....	9
Direct Set & Radius	10
Sliding Patio Doors.....	12
French Sliding Patio Doors.....	13
IMPACT Products.....	14
Our Quality is in the Details.....	17
Options & Accessories.....	18-23
Size Specifications & Technical Drawings	24-53

A Vinyl Solution for Every Coastal Project

Windsor Windows & Doors' New Next Dimension line of products are constructed with extreme weatherability in mind. By combining the durability of vinyl with the enhanced construction of impact-rated glass and materials, you can enjoy the beauty of your home for years to come.

Windsor has been developing unique home solutions for more than 75 years. We're dedicated to bringing you the highest quality products on the market, all for the best value.

Choose from a wide selection of vinyl products for new construction, remodeling or light commercial applications located on or near the coast without sacrificing quality or your budget.

Your Vision...Our Passion



The Versatility of Vinyl

Convenience meets dependability with New Next Dimension windows and doors from Windsor. Advanced vinyl technology ensures easy operation, superior energy efficiency, low maintenance and high performance. And, with several hardware and finish options available, New Next Dimension offers a vinyl solution for any application.

State-of-the-Art Lisec® Glass Fabrication Equipment

Our highly-automated glass line requires no manual manipulation – dramatically reducing seal failures caused by human contact with the glass – while our robotic equipment provides an incredible level of accuracy for a fast and efficient material flow.


Super Spacer® Technology

Super Spacer dual-seal moisture barrier technology provides one of the most thermally efficient spacers in the marketplace. All-foam Super Spacer reduces heat and cold conduction, which results in more comfortable living for homeowners and fewer callbacks for builders.

Super Spacer®


Reverse dual-seal technology

(Airspace is not filled with argon in products with breathing tubes.)



Cardinal® LoE 366 Glass

Windsor products feature LoE 366 glass with a coating that alters the way glass transmits visible and invisible light. LoE 366 decreases heat loss in the winter and heat gain in the summer. Reduced ultraviolet light penetration also helps prevent your furniture, drapes and carpet from fading.



The New Next Dimension product line comes standard with 7/8" double pane exterior glazed insulated glass with Cardinal® LoE 366. For increased thermal performance, 1-1/4" triple insulated glass is also available, in addition to tinted, tempered, obscure and laminated glass.

All New Next Dimension Impact products come standard with 1" Cardinal® Sea-Storm® glass.

ENERGY STAR® Partner

Windsor Windows & Doors is proud to be an ENERGY STAR partner. Look for the ENERGY STAR logo on our products, which means those models meet EPA guidelines for energy efficiency. Performance data is available on our website at www.windsorwindows.com.

Warranty

Our New Next Dimension products are backed by a Lifetime Limited Warranty; one of the most comprehensive warranty coverages offered in the industry. For more specific information, go to www.windsorwindows.com.





Casement & Awning

Our New Next Dimension casement windows are designed with easy operation in mind, allowing you to bring the outdoors inside. With a triple weather-stripped sash that ensures maximum contact around the entire sash perimeter, our casement windows boast exceptional air infiltration performance and superior energy efficiency.

A low profile sash and frame sightlines provide a contemporary look and feel, complete with a sleek low profile lock handle that includes folding/nesting crank cover in both traditional and contemporary styles.



Single Hung




Conventional beauty that performs as well as it looks. With a long list of features and options to suit your aesthetic vision, combined with the durability and easy operation of vinyl, our New Next Dimension single hung windows offer years of functional good looks.

Features include a high-performance, non-wept sloped sill and a triple weather-stripped sash to prevent unwanted air infiltration and superior energy efficiency. A constant force balance system creates smooth, effortless operation and a tilt bottom sash makes the unit easier to clean than ever.



Slider

Slide your way to style. A sleek look and effortless opening and closing make the New Next Dimension slider a perfect fit for your home. Triple weather-stripped sash and fusion-welded sash lock and interlocking check rail create a tight seal for improved weather performance. Available in OX, XO and XOX handing, the slider features tandem rollers for smooth and effortless operation.





Double Hung

Convenience and durable performance in a traditionally styled package. That's what you can expect from the New Next Dimension double hung windows. Our double hung windows feature an integral lift/pull handle and tilting top and bottom sashes that make cleaning a breeze. Constant force balances provide smooth, effortless operation.

With convenience comes years of strength and energy efficiency.

As an alternative to traditional nails or screws, we utilize a fusion welding process in the frame and sash corners to increase strength and leak-resistance. Additional energy saving and weatherproofing features include the Windsor Glazing System, thick, multichambered vinyl extrusions and a unique interlock extension that provides full interlock contact and pile weather-strip compression from side jamb to side jamb.



Interlock Extender



Direct Set & Radius

Add a touch of personality to your traditional style with our New Next Dimension direct set and radius windows. With availability in round, half round, seg top, round top, rectangle, triangle, trapezoid and other radius and geometric shapes, our direct set and radius windows offer a variety of low profile and contemporary styles to complement any design.





Sliding Patio Doors

The door to beauty is wide open. The New Next Dimension sliding patio doors are built to provide easy sliding, every time you open or close them.

New Next Dimension sliding patio doors are designed with 4-5/8" frame width designed for both new construction and replacement applications. Building on the ease-of-use and long-lasting performance of all Next Dimension products, our sliding patio doors feature an extruded aluminum threshold cover to protect against debris buildup, in addition to a full perimeter heavy-duty weather stripping and a deep pocket integral interlock for a superior seal against the elements. Strength shines through with internal reinforced stiles for added stability to the door panel while exterior glazing provides improved structural performance. Plus, you'll enjoy all the long-lasting performance and beauty afforded by the New Next Dimension line of vinyl products. Available in OX, XO, OXO and OXXO handing.



French Sliding Patio Doors

Conventional aesthetic meets


modern design. Enjoy the classic appeal of French style panels with the smooth, sliding operation and long-lasting durability of vinyl construction. Featuring 4" internal reinforced stiles and rails in an overall frame width of 4-5/8", the New Next Dimension French sliding patio doors are perfect for new construction or replacement projects.

Our French slider includes full perimeter heavy-duty weatherstripping and a deep pocket integral interlock for superior weatherability against the elements, while an extruded aluminum threshold cover further protects the sill and prevents debris buildup. Whether your style is traditional or contemporary, New Next Dimension French sliding patio doors are the perfect complement to any home's décor.



Perfect for Any Coastal Project

The New Next Dimension product line offers a complete line of impact rated coastal products manufactured to withstand the unique challenges of the coastal climate while maintaining their stunning beauty for years to come. Impact products also utilize Cardinal® Sea-Storm® laminated glass, designed specially to protect against the harshest wind, rain and flying debris.





IMPACT Casement & Awning

New Next Dimension's Impact line of casement and awning windows boasts the same ease of operation and durability of vinyl construction with added weatherability for even the most extreme coastal environments. Fusion-welded frame and triple weather-stripped sash provide maximum weather-tight construction and exceptional air-infiltration performance.



IMPACT Single Hung

Experience the classic features and customization of New Next Dimension's single hung windows with the added durability and weather resistance for the ultimate in structural integrity. Features include an integral lift/pull handle for easy access and operation, constant force balances for smooth operation and Windsor's exceptional lock and keeper for a cleaner siteline that creates a tighter seal.



IMPACT Slider

Get the same sleek look and smooth operation of a traditional slider with extra security against strong winds and other extreme weather patterns. New Next Dimension Impact slider features fusion-welded frame and sash for a strong, leak-proof seal, with a pocketed sill for added strength and performance.



IMPACT Double Hung

New Next Dimension Impact double hung windows provide tilt-in sash for easy cleaning and seamless operation while keeping your home protected from harsh storms and winds. Featuring a sash lock, check rail interlock and check rail extender that creates a tight seal for improved weather performance.



IMPACT Direct Set & Radius

Protect your home from the elements while adding a touch of personality and style with an array of geometric and radius shapes and patterns to fit any aesthetic. Thick, multi-chambered extrusions add strength and improve thermal performance.



IMPACT French Sliding Patio Door

Get the classic look of standard French doors with the low maintenance and durability of vinyl construction. The smooth, sliding operation and impact rated glass and materials provide added strength and stability against the elements. French style panels feature 4" stiles and rails with full perimeter, heavy-duty weather-stripping and a deep pocket integral interlock for a superior seal against air infiltration.

Impact Insulated Sea-Storm[®] Glass

- Cardinal[®] Sea-Storm[®] LoE 366 insulated glass (IG) is standard
- Laminated glass features Polyvinyl Butyral (PVB) inner-layer and SentryGlas[®] Plus (SGP) inner-layer (Inner-layer type determined by product type and size.)
- Laminated glass dampens sound from traffic and the outdoors and offers security against intruders

Testing Standards

All Windsor New Next Dimension impact products are tested to the following industry standard tests:

Test Type	Test Standard
Air/Water/Structural Gateway Test	AAMA_WDMA_CSA 101-IS2-A440
ASTM Impact Test	ASTM E1996, Method ASTM E1886 Large Missile D

Impact Zone Rating

All Windsor New Next Dimension impact products are tested and certified to meet Wind Zone 3 criteria.

Wind Zone 3

- Can sustain winds from 120 mph to 140 mph
- Tested for wind-borne debris from a 9 lb 2 x 4 shot from a cannon at 50 ft per second, one time
- 9000 positive and negative pressure cycle simulated the pressure differential of a hurricane



Turtle Glass Code

The Turtle Code is an ordinance to protect sea turtles along the coastline during nesting season by restricting the amount of light allowed to pass through windows and doors. Newly hatched sea turtles are guided to move to the water by the light of the shining moon. The artificial light passing through windows and doors can confuse the newborn hatchlings and cause them to travel away from the water toward the artificial light.

The chart below shows the various glass options available requiring the 0.45 Visible Light Transmittance value or less for glass used in Windsor products. The glass options highlighted comply with the Sea Turtle Protection Code.

	Visible Light Transmittance	
	Insulated	Insulated Laminated/ Impact
Grey Tint		0.40
LoE 240	0.40	0.39
LoE 366/Bronze Tint		0.39
LoE 366/Grey Tint	0.43	0.31

Glass values are center of glass

Our Quality is in the Details



[1] MULLION POST New Next Dimension single hung and double hung windows utilize an aluminum reinforced T-bar mullion post between two windows to provide an attractive appearance, added strength and to prevent air and water infiltration.

[2] GRILLES 3/4" profiled aluminum grilles are color matched to the unit and installed within the insulated glass airspace. This provides the look of authentic divided lite and allows for easy cleaning. 5/8" and 7/8" putty simulated divided lite grilles are available.

[3] EXTENSION JAMBS Extension jambs are available in veneer wrapped pine and oak for stained interiors or in white for painted interiors. These are available as a separate kit or applied.

[4] SLIDING PATIO DOOR HARDWARE Our patio door handles feature traditional or contemporary options in white, clay, faux bronze, black or black exterior/white interior to coordinate with your door color.

[5] WINDOW HARDWARE The beauty of New Next Dimension windows is carried right down to the sleek design of our hardware. They are available in clay, white or black to match the units.

[6] DH INTERLOCK EXTENDER Unique double hung interlock extension provides full interlock contact and weather-strip compression across the entire length of the interlock from jamb to jamb.

[7] BLACK LAMINATED EXTERIOR All New Next Dimension products, both standard and impact, are available with black laminated exterior.

[8] TRIPLE IG All standard, non-impact products are available with 1-1/4" of triple IG.

Options & Accessories

Finishing touches to perfect your vision. Windsor does more than just create durable, high-performance windows and doors. We pay attention to every detail and offer a wide array of options and finishes to match any décor. Flashy and eye-catching or simple and understated, our hardware, finishes, grille options, vinyl colors, glass options and grille patterns complete the perfect window and door package.

STANDARD VINYL COLORS



White

Clay

VINYL EXTERIOR COLORS

White vinyl interior is available with bronze paint or black laminated exterior.

Clay vinyl interior is available with bronze or black exterior paint.



Bronze

Black

PAINTED VINYL INTERIOR COLORS




Black*

**Only available with painted or laminated black exteriors*

WINDOW HARDWARE

Hardware is available in white, clay or black.



White

Clay

Black

Casement and Awning Lock



Traditional Lock

Contemporary Lock

Casement and Awning Crank/Cover



Traditional Crank/Cover




Contemporary Crank/Cover


Double Hung, Single Hung and Slider Sash Lock




GRILLES All Windsor Divided Lite (WDL)¹ bars are hand-fitted to ensure a perfect fit.




3/4" Profiled Inner Grille




5/8" & 7/8" Putty Windsor Divided Lite



1/2"



1"



2"

GLASS *Special order item



LoE 366 (Standard)



Dual Low-E



Dual Low-E HS



LoE 180



LoE 240



LoE 272




Clear



Gray Tint



Bronze Tint



Obscure




Satin Etch



Glue Chip*




Rain*



Reed*

SCREENS



Conventional Screen Mesh

BetterVue® (Standard)

UltraVue®

¹WDL bars are available in casement, awning, direct set and radius windows.

NOTE: Printing limitations prevent exact color/finish representation. See your Windsor distributor for actual samples.



DIRECT SET AND RADIUS OPTIONS

Radius Special Shapes




Round



Half Round




Quarter Round



Seg-top Quarter



Seg-top



Extended Quarter Round



Round Top



Ellipse



Eyebrow


Direct Set Special Shapes




Rectangle



Flat-top Trapezoid



Trapezoid



Right Triangle



Triangle



Parallelogram



Octagon



Hexagon




Pentoid




Flat-top Pentoid

Radius Inner Grille Patterns


Note: Before selecting a special grille pattern, confirm alignment with units below.




Pattern 1
3-spoke
Standard




Pattern 2
5-spoke
Standard




Pattern 3
Single Radius
Starburst
42" HR & up



Pattern 4
Double Radius
Starburst
60" HR & up



Pattern 5
Single Radius
Sunburst
42" HR & up



Pattern 6
Double Radius
Sunburst
60" HR & up



1-spoke
Quarter Round




2-spoke
Quarter Round




3-spoke
Ellipse

GRILLE PATTERNS Some grille patterns are not available in all configurations and products.


Single and Double Hung Grille Patterns




Casement and Awning Grille Patterns




Patio Door Grille Patterns




Casement and Awning Grille Patterns




Patio Door Grille Patterns



Casement and Awning Grille Patterns




Patio Door Grille Patterns



SLIDING PATIO DOOR HANDLE AND FINISHES

Our patio door handles feature traditional or contemporary options in white, clay, faux bronze, black or black exterior/white interior to coordinate with your door color. Finishes are the same for both interior and exterior handles.



Traditional
Interior
Patio Door Handle



Traditional
Exterior
Patio Door Handle



Contemporary
Interior
Patio Door Handle



Contemporary
Exterior
Patio Door Handle

WINDOW TRIM

Custom-fitted wood trim is available in Clear Select Pine.

Interior Trim



WM 327 • 2-1/4"



WM 356 • 2-1/4"



WM 366 • 2-1/4"



WM 351 • 2-1/2"



WM 361 • 2-1/2"



WM 445 • 3-1/4"



WM 444 • 3-1/2"



RB 03 • 3-1/2"



WM 473 • 2-1/4"



WM 433 • 3-1/4"



WM 412 • 3-1/2"

Stool and Apron

Available in double or single hung windows



WM 1021 • 5-1/4"



B 200 • 11/16" x 2-1/2"

Rosettes



Rosette • 2-3/4"

















































































































Rosette • 3-3/4"

New Next Dimension

Casement & Awning

(Standard & Impact)

ROUGH FRAME	1-6	2-6	3-6	4-0	4-6	5-0	6-0	7-0	8-0		
	1-5 1/2	2-0	3-5 1/2	3-11 1/2	4-5 1/2	4-11 1/2	5-11 1/2	6-11 1/2	7-11 1/2		
	1-11 1/2	2-11 1/2									
1-6	 1818	 2418	 3018	 3618	 4218	 4818	 5418	 6018	 7218	 8418	 9618
2-0	 1824	 2424	 3024	 3624	 4224	 4824	 5424	 6024	 7224	 8424	 9624
2-6	 1830	 2430	 3030	 3630	 4230	 4830	 5430	 6030	 7230	 8430	 9630
3-0	 1836	 2436	 3036	 3636*	 4236	 4836	 5436	 6036	 7236	 8436	 9636
3-6	 1842	 2442	 3042	 3642	 4242	 4842	 5442	 6042	 7242	 8442	 9642
4-0	 1848	 2448	 3048*	 3648	 4248	 4848	 5448	 6048	 7248	 8448	 9648
4-6	 1854	 2454	 3054*	 3654	 4254	 4854	 5454	 6054	 7254	 8454	 9654
5-0	 1860	 2460	 3060*	 3660	 4260	 4860	 5460	 6060	 7260	 8460	 9660
5-6	 1866	 2466	 3066*	 3666	 4266	 4866	 5466	 6066	 7266	 8466	 9666
6-0	 1872	 2472	 3072*	 3672	 4272	 4872	 5472	 6072	 7272	 8472	 9672

— Operating Casement Sizes - - - - - Operating Awning Sizes

Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector. *30" wide casement windows require egress hinge; customer must specify.


Grille patterns shown are standard. Other options are available.

New Next Dimension


Casement & Awning Technical Drawings

Casement & Awning

Standard




Impact




Casement Picture

Standard






































































































Impact



New Next Dimension

Single Hung Operating

(Standard & Impact)

ROUGH FRAME	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	2-8 2-7 1/2	3-0 2-11 1/2	3-4 3-3 1/2	3-6 3-5 1/2	4-0 3-11 1/2	4-6 4-5 1/2
2-6 2-5 1/2	 1830	 2430	 3030	 3230	 3630	 4030	 4230	 4830	 5430
3-0 2-11 1/2	 1836	 2436	 3036	 3236	 3636	 4036	 4236	 4836	 5436
3-6 3-5 1/2	 1842	 2442	 3042	 3242	 3642	 4042	 4242	 4842	 5442
4-0 3-11 1/2	 1848	 2448	 3048	 3248	 3648	 4048	 4248	 4848	 5448
4-6 4-5 1/2	 1854	 2454	 3054	 3254	 3654	 4054	 4254	 4854	 5454
5-0 4-11 1/2	 1860	 2460	 3060	 3260	 3660	 4060	 4260	 4860	 5460
5-3 5-2 1/2	 1863	 2463	 3063	 3263	 3663	 4063	 4263	 4863	 5463
5-6 5-5 1/2	 1866	 2466	 3066	 3266	 3666	 4066	 4266	 4866	 5466
6-0 5-11 1/2	 1872	 2472	 3072	 3272	 3672	 4072	 4272	 4872	 5472
6-6 6-5 1/2	 1878	 2478	 3078	 3278	 3678	 4078	 4278	 4878	 5478
7-0 6-11 1/2	 1884	 2484	 3084	 3284	 3684	 4084	 4284	 4884	 5484

Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector.
Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.

New Next Dimension

Single Hung Operating (cont.) (Standard)























































ROUGH FRAME	3-0 2-11 1/2	4-0 3-11 1/2	5-0 4-11 1/2	5-4 5-3 1/2	6-0 5-11 1/2	6-8 6-7 1/2	7-0 6-11 1/2	8-0 7-11 1/2	9-0 8-11 1/2
2-6 2-5 1/2	1830-2	2430-2	3030-2	3230-2	3630-2	4030-2	4230-2	4830-2	5430-2
3-0 2-11 1/2	1836-2	2436-2	3036-2	3236-2	3636-2	4036-2	4236-2	4836-2	5436-2
3-6 3-5 1/2	1842-2	2442-2	3042-2	3242-2	3642-2	4042-2	4242-2	4842-2	5442-2
4-0 3-11 1/2	1848-2	2448-2	3048-2	3248-2	3648-2	4048-2	4248-2	4848-2	5448-2
4-6 4-5 1/2	1854-2	2454-2	3054-2	3254-2	3654-2	4054-2	4254-2	4854-2	5454-2
5-0 4-11 1/2	1860-2	2460-2	3060-2	3260-2	3660-2	4060-2	4260-2	4860-2	5460-2
5-3 5-2 1/2	1863-2	2463-2	3063-2	3263-2	3663-2	4063-2	4263-2	4863-2	5463-2
5-6 5-5 1/2	1866-2	2466-2	3066-2	3266-2	3666-2	4066-2	4266-2	4866-2	5466-2
6-0 5-11 1/2	1872-2	2472-2	3072-2	3272-2	3672-2	4072-2	4272-2	4872-2	5472-2
6-6 6-5 1/2	1878-2	2478-2	3078-2	3278-2	3678-2	4078-2	4278-2	4878-2	5478-2
7-0 6-11 1/2	1884-2	2484-2	3084-2	3284-2	3684-2	4084-2	4284-2	4884-2	5484-2

Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector.
Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.

New Next Dimension

Single Hung Operating (cont.) (Standard)

ROUGH FRAME	4-6 4-5 1/2	6-0 5-11 1/2	7-6 7-5 1/2	8-0 7-11 1/2	8-11 1/2
2-6 2-5 1/2	 1830-3	 2430-3	 3030-3	 3230-3	 3630-3
3-0 2-11 1/2	 1836-3	 2436-3	 3036-3	 3236-3	 3636-3
3-6 3-5 1/2	 1842-3	 2442-3	 3042-3	 3242-3	 3642-3
4-0 3-11 1/2	 1848-3	 2448-3	 3048-3	 3248-3	 3648-3
4-6 4-5 1/2	 1854-3	 2454-3	 3054-3	 3254-3	 3654-3
5-0 4-11 1/2	 1860-3	 2460-3	 3060-3	 3260-3	 3660-3
5-3 5-2 1/2	 1863-3	 2463-3	 3063-3	 3263-3	 3663-3
5-6 5-5 1/2	 1866-3	 2466-3	 3066-3	 3266-3	 3666-3
6-0 5-11 1/2	 1872-3	 2472-3	 3072-3	 3272-3	 3672-3
6-6 6-5 1/2	 1878-3	 2478-3	 3078-3	 3278-3	 3678-3
7-0 6-11 1/2	 1884-3	 2484-3	 3084-3	 3284-3	 3684-3

























Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector.
Grille patterns shown are standard. Other options are available.

New Next Dimension

























Single Hung Operating Cottage & Oriel

(Standard & Impact)

Cottage

	ROUGH FRAME	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	2-8 2-7 1/2	3-0 2-11 1/2	3-4 3-3 1/2	3-6 3-5 1/2	4-0 3-11 1/2
5-0 4-11 1/2									
		1860	2460	3060	3260	3660	4060	4260	4860
5-3 5-2 1/2									
		1863	2463	3063	3263	3663	4063	4263	4863
5-6 5-5 1/2									
		1866	2466	3066	3266	3666	4066	4266	4866

Oriel













































































































	ROUGH FRAME	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	2-8 2-7 1/2	3-0 2-11 1/2	3-4 3-3 1/2	3-6 3-5 1/2	4-0 3-11 1/2
5-0 4-11 1/2									
		1860	2460	3060	3260	3660	4060	4260	4860
5-3 5-2 1/2									
		1863	2463	3063	3263	3663	4063	4263	4863
5-6 5-5 1/2									
		1866	2466	3066	3266	3666	4066	4266	4866

Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.



















































New Next Dimension

Single Hung Fixed (Standard & Impact)

ROUGH FRAME	1-6		2-0		2-6		2-8		3-0		3-4		3-6		4-0		4-6		5-0	
	1-5 1/2	1-11 1/2	2-5 1/2	2-7 1/2	2-11 1/2	3-3 1/2	3-5 1/2	3-11 1/2	4-5 1/2	4-11 1/2										
1-0																				
	1812	2412	3012	3212	3612	4012	4212	4812	5412	6012										
1-6																				
	1818	2418	3018	3218	3618	4018	4218	4818	5418	6018										
2-0																				
	1824	2424	3024	3224	3624	4024	4224	4824	5424	6024										
2-6																				
	1830	2430	3030	3230	3630	4030	4230	4830	5430	6030										
3-0																				
	1836	2436	3036	3236	3636	4036	4236	4836	5436	6036										
3-6																				
	1842	2442	3042	3242	3642	4042	4242	4842	5442	6042										
4-0																				
	1848	2448	3048	3248	3648	4048	4248	4848	5448	6048										
4-6																				
	1854	2454	3054	3254	3654	4054	4254	4854	5454	6054										
5-0																				
	1860	2460	3060	3260	3660	4060	4260	4860	5460	6060										










































New Next Dimension

Single Hung Fixed (cont.) (Standard & Impact)

ROUGH FRAME										
	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	2-8 2-7 1/2	3-0 2-11 1/2	3-4 3-3 1/2	3-6 3-5 1/2	4-0 3-11 1/2	4-6 4-5 1/2	5-0 4-11 1/2
5-6 5-5 1/2	 1866	 2466	 3066	 3266	 3666	 4066	 4266	 4866	 5466	 6066
5-7 5-6 1/2	 1867	 2467	 3067	 3267	 3667	 4067	 4267	 4867	 5467	 6067
6-0 5-11 1/2	 1872	 2472	 3072	 3272	 3672	 4072	 4272	 4872	 5472	 6072
6-6 6-5 1/2	 1878	 2478	 3078	 3278	 3678	 4078	 4278	 4878	 5478	 6078
7-0 6-11 1/2	 1884	 2484	 3084	 3284	 3684	 4084	 4284	 4884	 5484	 6084

New Next Dimension

Single Hung Fixed (cont.) (Standard & Impact)


ROUGH FRAME	6-0 5-11 1/2	6-8 6-7 1/2	7-0 6-11 1/2	7-6 7-5 1/2	8-0 7-11 1/2
1-0	 7212				
1-6 1-5 1/2	 7218	 8018	 8418	 9018	 9618
2-0 1-11 1/2	 7224	 8024	 8424	 9024	 9624
2-6 2-5 1/2	 7230	 8030	 8430	 9030	 9630
3-0 2-11 1/2	 7236	 8036	 8436	 9036	 9636
3-6 3-5 1/2	 7242	 8042	 8442	 9042	 9642
4-0 3-11 1/2	 7248	 8048	 8448	 9048	 9648
4-6 4-5 1/2	 7254	 8054	 8454	 9054	 9654
5-0 4-11 1/2	 7260	 8060	 8460	 9060	 9660

New Next Dimension


Single Hung Technical Drawings

Single Hung


Standard



VERTICAL




SINGLE HORIZONTAL




TWIN HORIZONTAL

Impact




VERTICAL



SINGLE HORIZONTAL

Picture

Standard



VERTICAL



HORIZONTAL

Impact



VERTICAL




HORIZONTAL

New Next Dimension

Single Slider (Standard & Impact)

ROUGH FRAME	2-0 1-11 1/2	2-6 2-5 1/2	3-0 2-11 1/2	3-6 3-5 1/2	4-0 3-11 1/2	4-6 4-5 1/2	5-0 4-11 1/2	5-6 5-5 1/2	6-0 5-11 1/2
2-0 1-11 1/2	2424	3024	3624	4224	4824	5424	6024	6624	7224
2-6 2-5 1/2	2430	3030	3630	4230	4830	5430	6030	6630	7230
3-0 2-11 1/2	2436	3036	3636	4236	4836	5436	6036	6636	7236
3-6 3-5 1/2	2442	3042	3642	4242	4842	5442	6042	6642	7242
4-0 3-11 1/2	2448	3048	3648	4248	4848	5448	6048	6648	7248
4-6 4-5 1/2			3654	4254	4854	5454	6054	6654	7254
5-0 4-11 1/2			3660	4260	4860	5460	6060	6660	7260
5-3 5-2 1/2			3663	4263	4863	5463	6063	6663	7263
5-6 5-5 1/2			3666	4266	4866	5466	6066	6666	7266
6-0 5-11 1/2			3672	4272	4872	5472	6072	6672	7272

Handing Options (As viewed from exterior)





















































Window handing is determined while standing on the **OUTSIDE** of the window. Sliding windows must be specified as XO or OX. *X is the operable vent panel.*


----- Impact rated sizes

Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector. Grille patterns shown are standard. Other options are available.

New Next Dimension

End Vent Slider (Standard & Impact)

ROUGH FRAME	6-0 5-11 1/2		7-0 6-11 1/2		8-0 7-11 1/2		6-0 5-11 1/2		7-6 7-5 1/2	
2-0 1-11 1/2	 18-36-1824		 21-42-2124		 24-48-2424		 24-24-2424		 30-30-3024	
2-6 2-5 1/2	 18-36-1830		 21-42-2130		 24-48-2430		 24-24-2430		 30-30-3030	
3-0 2-11 1/2	 18-36-1836		 21-42-2136		 24-48-2436		 24-24-2436		 30-30-3036	
3-6 3-5 1/2	 18-36-1842		 21-42-2142		 24-48-2442		 24-24-2442		 30-30-3042	
4-0 3-11 1/2	 18-36-1848		 21-42-2148		 24-48-2448		 24-24-2448		 30-30-3048	
4-6 4-5 1/2	 18-36-1854		 21-42-2154		 24-48-2454		 24-24-2454		 30-30-3054	
5-0 4-11 1/2	 18-36-1860		 21-42-2160		 24-48-2460		 24-24-2460		 30-30-3060	
5-3 5-2 1/2	 18-36-1863		 21-42-2163		 24-48-2463		 24-24-2463		 30-30-3063	
5-6 5-5 1/2	 18-36-1866		 21-42-2166		 24-48-2466		 24-24-2466		 30-30-3066	
6-0 5-11 1/2	 18-36-1872		 21-42-2172		 24-48-2472		 24-24-2472		 30-30-3072	



End vent sliding windows
come standard as XOX.
Both end vents operate.

----- Impact rated sizes


Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector.
Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.


New Next Dimension

Slider Technical Drawings


Standard



VERTICAL




SLIDER HORIZONTAL




END VENT SLIDER HORIZONTAL


Impact



VERTICAL



SLIDER HORIZONTAL



























































































END VENT SLIDER HORIZONTAL

New Next Dimension

Double Hung Operating

(Standard & Impact)

























































































ROUGH FRAME	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	2-8 2-7 1/2	3-0 2-11 1/2	3-4 3-3 1/2	3-6 3-5 1/2	4-0 3-11 1/2
2-6 2-5 1/2	 1830	 2430	 3030	 3230	 3630	 4030	 4230	 4830
3-0 2-11 1/2	 1836	 2436	 3036	 3236	 3636	 4036	 4236	 4836
3-6 3-5 1/2	 1842	 2442	 3042	 3242	 3642	 4042	 4242	 4842
4-0 3-11 1/2	 1848	 2448	 3048	 3248	 3648	 4048	 4248	 4848
4-6 4-5 1/2	 1854	 2454	 3054	 3254	 3654	 4054	 4254	 4854
5-0 4-11 1/2	 1860	 2460	 3060	 3260	 3660	 4060	 4260	 4860
5-6 5-5 1/2	 1866	 2466	 3066	 3266	 3666	 4066	 4266	 4866
5-7 5-6 1/2	 1867	 2467	 3067	 3267	 3667	 4067	 4267	 4867
6-0 5-11 1/2	 1872	 2472	 3072	 3272	 3672	 4072	 4272	 4872
6-6 6-5 1/2	 1878	 2478	 3078	 3278	 3678	 4078	 4278	 4878
7-0 6-11 1/2	 1884	 2484	 3084	 3284	 3684	 4084	 4284	 4884

Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector.
Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.

New Next Dimension













Double Hung Operating (cont.) (Standard)

ROUGH FRAME	3-0	4-0	5-0	5-4	6-0	6-8	7-0	8-0
	2-11 1/2	3-11 1/2	4-11 1/2	5-3 1/2	5-11 1/2	6-7 1/2	6-11 1/2	7-11 1/2
2-6	 1830-2	 2430-2	 3030-2	 3230-2	 3630-2	 4030-2	 4230-2	 4830-2
3-0	 1836-2	 2436-2	 3036-2	 3236-2	 3636-2	 4036-2	 4236-2	 4836-2
3-6	 1842-2	 2442-2	 3042-2	 3242-2	 3642-2	 4042-2	 4242-2	 4842-2
4-0	 1848-2	 2448-2	 3048-2	 3248-2	 3648-2	 4048-2	 4248-2	 4848-2
4-6	 1854-2	 2454-2	 3054-2	 3254-2	 3654-2	 4054-2	 4254-2	 4854-2
5-0	 1860-2	 2460-2	 3060-2	 3260-2	 3660-2	 4060-2	 4260-2	 4860-2
5-6	 1866-2	 2466-2	 3066-2	 3266-2	 3666-2	 4066-2	 4266-2	 4866-2
5-7	 1867-2	 2467-2	 3067-2	 3267-2	 3667-2	 4067-2	 4267-2	 4867-2
6-0	 1872-2	 2472-2	 3072-2	 3272-2	 3672-2	 4072-2	 4272-2	 4872-2
6-6	 1878-2	 2478-2	 3078-2	 3278-2	 3678-2	 4078-2	 4278-2	 4878-2
7-0	 1884-2	 2484-2	 3084-2	 3284-2	 3684-2	 4084-2	 4284-2	 4884-2

Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector.
Grille patterns shown are standard. Other options are available.

New Next Dimension

Double Hung Operating (cont.) (Standard)

ROUGH FRAME	4-6 4-5 1/2	6-0 5-11 1/2	7-6 7-5 1/2	8-0 7-11 1/2	9-0 8-11 1/2
2-6 2-5 1/2	 1830-3	 2430-3	 3030-3	 3230-3	 3630-3
3-0 2-11 1/2	 1836-3	 2436-3	 3036-3	 3236-3	 3636-3
3-6 3-5 1/2	 1842-3	 2442-3	 3042-3	 3242-3	 3642-3
4-0 3-11 1/2	 1848-3	 2448-3	 3048-3	 3248-3	 3648-3
4-6 4-5 1/2	 1854-3	 2454-3	 3054-3	 3254-3	 3654-3
5-0 4-11 1/2	 1860-3	 2460-3	 3060-3	 3260-3	 3660-3
5-6 5-5 1/2	 1866-3	 2466-3	 3066-3	 3266-3	 3666-3
5-7 5-6 1/2	 1867-3	 2467-3	 3067-3	 3267-3	 3667-3
6-0 5-11 1/2	 1872-3	 2472-3	 3072-3	 3272-3	 3672-3
6-6 6-5 1/2	 1878-3	 2478-3	 3078-3	 3278-3	 3678-3
7-0 6-11 1/2	 1884-3	 2484-3	 3084-3	 3284-3	 3684-3

Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector.
Grille patterns shown are standard. Other options are available.

























All sizes and specifications subject to change without notice.

New Next Dimension

Double Hung Operating Cottage & Oriel

(Standard & Impact)

Cottage

ROUGH FRAME		1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	2-8 2-7 1/2	3-0 2-11 1/2	3-4 3-3 1/2	3-6 3-5 1/2	4-0 3-11 1/2							
5-0 4-11 1/2		1860		2460		3060		3260		3660		4060		4260		4860
	5-6 5-5 1/2		1866		2466		3066		3266		3666		4066		4266	
5-7 5-6 1/2		1867		2467		3067		3267		3667		4067		4267		4867



























































































Oriel

		ROUGH FRAME	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	2-8 2-7 1/2	3-0 2-11 1/2	3-4 3-3 1/2	3-6 3-5 1/2	4-0 3-11 1/2							
5-0 4-11 1/2			1860		2460		3060		3660		4260		4860				
			1866		2466		3066		3666		4066		4266		4866		
5-6 5-5 1/2			1867		2467		3067		3267		3667		4067		4267		4867

Shaded units meet most egress requirements of 5.70 sq. ft. Verify state and local requirements with your local building inspector.
Grille patterns shown are standard. Other options are available.



















































New Next Dimension

Double Hung Fixed (Standard & Impact)

ROUGH FRAME	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	2-8 2-7 1/2	3-0 2-11 1/2	3-4 3-3 1/2	3-6 3-5 1/2	4-0 3-11 1/2	4-6 4-5 1/2	5-0 4-11 1/2
1-0 11 1/2	 1812	 2412	 3012	 3212	 3612	 4012	 4212	 4812	 5412	 6012
1-6 1-5 1/2	 1818	 2418	 3018	 3218	 3618	 4018	 4218	 4818	 5418	 6018
2-0 1-11 1/2	 1824	 2424	 3024	 3224	 3624	 4024	 4224	 4824	 5424	 6024
2-6 2-5 1/2	 1830	 2430	 3030	 3230	 3630	 4030	 4230	 4830	 5430	 6030
3-0 2-11 1/2	 1836	 2436	 3036	 3236	 3636	 4036	 4236	 4836	 5436	 6036
3-6 3-5 1/2	 1842	 2442	 3042	 3242	 3642	 4042	 4242	 4842	 5442	 6042
4-0 3-11 1/2	 1848	 2448	 3048	 3248	 3648	 4048	 4248	 4848	 5448	 6048
4-6 4-5 1/2	 1854	 2454	 3054	 3254	 3654	 4054	 4254	 4854	 5454	 6054
5-0 4-11 1/2	 1860	 2460	 3060	 3260	 3660	 4060	 4260	 4860	 5460	 6060










































New Next Dimension

Double Hung Fixed (cont.)
(Standard & Impact)

ROUGH FRAME	1-6	2-0	2-6	2-8	3-0	3-4	3-6	4-0	4-6	5-0
	1-5 1/2	1-11 1/2	2-5 1/2	2-7 1/2	2-11 1/2	3-3 1/2	3-5 1/2	3-11 1/2	4-5 1/2	4-11 1/2
5-6 5-5 1/2	 1866	 2466	 3066	 3266	 3666	 4066	 4266	 4866	 5466	 6066
5-7 5-6 1/2	 1867	 2467	 3067	 3267	 3667	 4067	 4267	 4867	 5467	 6067
6-0 5-11 1/2	 1872	 2472	 3072	 3272	 3672	 4072	 4272	 4872	 5472	 6072
6-6 6-5 1/2	 1878	 2478	 3078	 3278	 3678	 4078	 4278	 4878	 5478	 6078
7-0 6-11 1/2	 1884	 2484	 3084	 3284	 3684	 4084	 4284	 4884	 5484	 6084

New Next Dimension

Double Hung Fixed (cont.) (Standard & Impact)


ROUGH FRAME		6-0	6-8	7-0	7-6	8-0
		5-11 1/2	6-7 1/2	6-11 1/2	7-5 1/2	7-11 1/2
1-0	1-0	 7212				
1-6	1-6	 7218	 8018	 8418	 9018	 9618
2-0	2-0	 7224	 8024	 8424	 9024	 9624
2-6	2-6	 7230	 8030	 8430	 9030	 9630
3-0	3-0	 7236	 8036	 8436	 9036	 9636
3-6	3-6	 7242	 8042	 8442	 9042	 9642
4-0	4-0	 7248	 8048	 8448	 9048	 9648
4-6	4-6	 7254	 8054	 8454	 9054	 9654
5-0	5-0	 7260	 8060	 8460	 9060	 9660

New Next Dimension


Double Hung Technical Drawings

Double Hung


Standard



VERTICAL




SINGLE HORIZONTAL




TWIN HORIZONTAL

Impact




VERTICAL



SINGLE HORIZONTAL

Picture

Standard




VERTICAL



HORIZONTAL

Impact



VERTICAL




HORIZONTAL


New Next Dimension

Direct Set Technical Drawings

Standard


















Impact



New Next Dimension

Sliding Patio Doors

(Standard)

ROUGH FRAME	5-0 4-11 1/2	6-0 5-11 1/2	7-6 7-5 1/2	8-0 7-11 1/2	9-0 8-11 1/2	
	6-8 6-7 1/2					
	5068-XO	6068-XO	7668-OXS	8068-XO	9068-OXS	
	6-10 6-9 1/2					
	50610-XO	60610-XO	76610-OXS	80610-XO	90610-OXS	
	8-0 7-11 1/2					
	5080-XO	6080-XO	7680-OXS	8080-XO	9080-OXS	

Door handing is determined while standing on the **OUTSIDE** of the door. "X" is the operating panel and "O" is the stationary panel.

XO door: Operating panel is on the left.


OX door: Operating panel is on the right.

Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.

New Next Dimension

Quad Sliding Patio Doors
(Standard)


















Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.


















New Next Dimension

Patio Door Sidelites, Transoms & Sidelite Transoms (Standard)





















Sidelites

ROUGH FRAME	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	3-0 2-11 1/2	4-0 3-11 1/2
6-8 6-7 1/2	 1668-S	 2068-S	 2668-S	 3068-S	 4068-S
6-10 6-9 1/2	 16610-S	 20610-S	 26610-S	 30610-S	 40610-S
8-0 7-11 1/2	 1680-S	 2080-S	 2680-S	 3080-S	 4080-S

Transoms

ROUGH FRAME	5-0 4-11 1/2	6-0 5-11 1/2	7-6 7-5 1/2	8-0 7-11 1/2	9-0 8-11 1/2
1-0 11 1/2	 5010	 6010			
1-4 1-3 1/2	 5014	 6014	 7614	 8014	 9014
1-6 1-5 1/2	 5016	 6016	 7616	 8016	 9016
2-0 1-11 1/2	 5020	 6020	 7620	 8020	 9020

Sidelite Transoms

ROUGH FRAME	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	3-0 2-11 1/2	4-0 3-11 1/2
1-0 11 1/2	 1610	 2010	 2610	 3010	 4010
1-4 1-3 1/2	 1614	 2014	 2614	 3014	 4014
1-6 1-5 1/2	 1616	 2016	 2616	 3016	 4016
2-0 1-11 1/2	 1620	 2020	 2620	 3020	 4020


Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.


New Next Dimension

Patio Door Technical Drawings (Standard)

Patio Door




VERTICAL




HORIZONTAL

Patio Door Quad



VERTICAL


















HORIZONTAL

New Next Dimension

French Patio Doors

(Standard and Impact)

	ROUGH FRAME	5-0 4-11 1/2	6-0 5-11 1/2	7-6 7-5 1/2	8-0 7-11 1/2	9-0 8-11 1/2
6-8 6-7 1/2						
		5068-XO	6068-XO	7668-OXS	8068-XO	9068-OXS
6-10 6-9 1/2						
		50610-XO	60610-XO	76610-OXS	80610-XO	90610-OXS
8-0 7-11 1/2						
		5080-XO	6080-XO	7680-OXS	8080-XO	9080-OXS

Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.

New Next Dimension

Quad French Patio Doors
(Standard and Impact)

ROUGH
FRAME

6-8
6-7 1/2

9-9 15/16
9-9 7/16

10068-OXOO

11-9 15/16
11-9 7/16

12068-OXOO

6-10
6-9 1/2

100610-OXOO

120610-OXOO

8-0
7-11 1/2

10080-OXOO

12080-OXOO

Grille patterns shown are standard. Other options are available.

All sizes and specifications subject to change without notice.

51

New Next Dimension

French Patio Door Sidelite
(Standard and Impact)

ROUGH FRAME	1-6 1-5 1/2	2-0 1-11 1/2	2-6 2-5 1/2	3-0 2-11 1/2	4-0 3-11 1/2
	6-8 6-7 1/2				
	1668-S	2068-S	2668-S	3068-S	4068-S
6-10 6-9 1/2					
	16610-S	20610-S	26610-S	30610-S	40610-S
	8-0 7-11 1/2				
	1680-S	2080-S	2680-S	3080-S	4080-S

Grille patterns shown are standard. Other options are available.


All sizes and specifications subject to change without notice.

New Next Dimension


French Patio Door Technical Drawings

French Patio Door

Standard




VERTICAL




HORIZONTAL

Impact




VERTICAL




HORIZONTAL

French Patio Door Quad

Standard




VERTICAL




HORIZONTAL

Impact



VERTICAL




HORIZONTAL



Windsor Windows & Doors has distinct product lines for every application. New construction. Room additions. Window replacement. Windsor has the solutions to help meet any home building or home improvement need. Discover all of the products we have to offer.

Make every project a success.



Pinnacle

The strength and beauty of natural wood define our elite Pinnacle line of products. Crafted from the finest pine, alder and fir, Pinnacle windows and doors add a measure of elegance to any home.

From subtle to showy, Pinnacle products are endlessly customizable through an array of finishes, hardware, shapes, grille options, cladding colors, glass and trim options, allowing the perfect window or door to be created.

Homeowners can choose from the technologically advanced Pinnacle Select, the durable and damage resistant Pinnacle wood clad or Pinnacle primed, which arrives ready to be painted.

Legend

Legend products are constructed from solid cellular PVC, creating the traditional look and feel of painted wood with the low maintenance and strong durability of vinyl. Our windows are protected against rotting, warping, cracking or swelling with a 25-year warranty. Legend products are well suited for both new construction and historical renovation.

Legend HBR products combine the strength and durability of our Legend cellular PVC frame with a wood clad sash. This powerful hybrid offers a low-maintenance exterior with a beautiful wooden interior.

New Next Dimension

The New Next Dimension line features both standard and impact products that are designed to have enhanced weatherability against even the harshest coastal environments. These robust, reliable products offer the resilience of extruded multi-chambered vinyl and are constructed from enhanced components for added strength and stability. Homeowners enjoy beautiful color retention, exceptional performance and energy efficiency for years to come.

Our vinyl windows are highly rated for performance and many even offer commercially rated performance. All of our vinyl products are low maintenance and are backed by a lifetime limited warranty.

Revive™ Pocket Replacement Windows

There's a lot to love about a home – its unique character, timeless details and genuine craftsmanship. Drafty, unsightly windows can easily steal away from the beauty of these features. That's where Revive pocket replacement windows come into the picture.

Each window can be transformed with stunning Windsor quality in about an hour – with fewer worries about disturbing any treasured wood trim or other interior and exterior features. And because they're meticulously built to order with customizable features in three high-quality materials (wood clad, hybrid and vinyl), Windsor Revive pocket replacement windows are a fast, uncomplicated upgrade.

Revive Sash Replacement Kit

Replace old, drafty, inefficient double hung sashes with energy efficient, dual pane sashes. Windsor's Revive Sash Replacement Kit makes updating easy, allowing homeowners to leave existing interior trim and plaster in place. Choose from three different replacement sashes: versatile primed wood, durable aluminum clad or low-maintenance cellular PVC. Revive sashes feature EZ Tilt, which provides fast access for hassle-free cleaning.



CONNECT WITH US



900 South 19th Street, West Des Moines, IA 50265 • 515.223.6660 • 800.218.6186
1400 North Sutherland Avenue, Monroe, NC 28110 • 704.283.7459 • 800.205.5665

www.windsorwindows.com

A WOODGRAIN COMPANY

© 2024 Woodgrain Millwork Inc. Woodgrain Millwork, Windsor, the Windsor Lion logo, Next Dimension and Legend are registered trademarks of Woodgrain Millwork Inc. Windsor Windows & Doors, Pinnacle, Revive and Redstone are trademarks of Woodgrain Millwork Inc.



Windsor Windows & Doors is an ENERGY STAR® partner and an NFRC and WDMA member. Windsor products are certified and labeled according to the guidelines established by the National Fenestration Rating Council (NFRC).