



Pinnacle Series

SELECT DOUBLE HUNG

EGRESS, LITE & SCREEN MEASUREMENTS

Egress, Lite and Vent Measurements																			
Double Hung																			
Size	Egress Width	Dual Pane					Dual Pane Lami					Triple Pane					Sq. Ft. Daylite	Screen Size	
		Egress Height	Sq. Ft. Egress	Egress Code Compliance*			Egress Height	Sq. Ft. Egress	Egress Code Compliance*			Egress Height	Sq. Ft. Egress	Egress Code Compliance*					
				U.S.		Canada			U.S.		Canada			U.S.		Canada			
				5.0 ft²	5.7 ft²				5.0 ft²	5.7 ft²				5.0 ft²	5.7 ft²				
2137	17.59	12.90	1.58	-	-	-	12.90	1.58	-	-	-	12.90	1.58	-	-	-	3.23	18 3/4	35 1/8
2141	17.59	14.90	1.82	-	-	-	14.90	1.82	-	-	-	14.90	1.82	-	-	-	3.66	18 3/4	39 1/8
2149	17.59	18.90	2.31	-	-	-	18.90	2.31	-	-	-	17.68	2.16	-	-	-	4.54	18 3/4	47 1/8
2153	17.59	20.90	2.55	-	-	-	20.90	2.55	-	-	-	19.68	2.40	-	-	-	4.98	18 3/4	51 1/8
2157	17.59	22.90	2.80	-	-	-	21.68	2.65	-	-	-	21.68	2.65	-	-	-	5.41	18 3/4	55 1/8
2161	17.59	24.90	3.04	-	-	-	23.68	2.89	-	-	-	23.68	2.89	-	-	-	5.85	18 3/4	59 1/8
2165	17.59	26.90	3.29	-	-	-	25.68	3.14	-	-	-	25.68	3.14	-	-	-	6.29	18 3/4	63 1/8
2169	17.59	27.68	3.38	-	-	-	27.68	3.38	-	-	-	27.68	3.38	-	-	-	6.73	18 3/4	67 1/8
2173	17.59	29.68	3.62	-	-	-	29.68	3.62	-	-	-	29.68	3.62	-	-	-	7.16	18 3/4	71 1/8
2177	17.59	31.68	3.87	-	-	Y	31.68	3.87	-	-	Y	31.68	3.87	-	-	Y	7.60	18 3/4	75 1/8
2181	17.59	29.43	3.59	-	-	-	29.43	3.59	-	-	-	29.43	3.59	-	-	-	8.04	18 3/4	79 1/8
2185	17.59	31.43	3.84	-	-	Y	31.43	3.84	-	-	Y	31.43	3.84	-	-	Y	8.48	18 3/4	83 1/8
2189	17.59	33.43	4.08	-	-	Y	33.43	4.08	-	-	Y	33.43	4.08	-	-	Y	8.91	18 3/4	87 1/8
2193	17.59	35.43	4.33	-	-	Y	35.43	4.33	-	-	Y	35.43	4.33	-	-	Y	9.35	18 3/4	91 1/8
2197	17.59	37.43	4.57	-	-	Y	37.43	4.57	-	-	Y	37.43	4.57	-	-	Y	9.79	18 3/4	95 1/8
2537	21.59	12.90	1.93	-	-	-	12.90	1.93	-	-	-	12.90	1.93	-	-	-	4.05	22 3/4	35 1/8
2541	21.59	14.90	2.23	-	-	-	14.90	2.23	-	-	-	13.68	2.05	-	-	-	4.59	22 3/4	39 1/8
2549	21.59	18.90	2.83	-	-	-	17.68	2.65	-	-	-	17.68	2.65	-	-	-	5.69	22 3/4	47 1/8
2553	21.59	20.90	3.13	-	-	-	19.68	2.95	-	-	-	19.68	2.95	-	-	-	6.24	22 3/4	51 1/8
2557	21.59	22.90	3.43	-	-	-	21.68	3.25	-	-	-	21.68	3.25	-	-	-	6.79	22 3/4	55 1/8
2561	21.59	24.90	3.73	-	-	-	23.68	3.55	-	-	-	23.68	3.55	-	-	-	7.34	22 3/4	59 1/8
2565	21.59	26.90	4.03	-	-	Y	25.68	3.85	-	-	Y	25.68	3.85	-	-	Y	7.89	22 3/4	63 1/8
2569	21.59	27.68	4.15	-	-	Y	27.68	4.15	-	-	Y	27.68	4.15	-	-	Y	8.43	22 3/4	67 1/8
2573	21.59	29.68	4.45	-	-	Y	29.68	4.45	-	-	Y	29.68	4.45	-	-	Y	8.98	22 3/4	71 1/8
2577	21.59	31.68	4.75	-	-	Y	31.68	4.75	-	-	Y	31.68	4.75	-	-	Y	9.53	22 3/4	75 1/8
2581	21.59	29.43	4.41	-	-	Y	29.43	4.41	-	-	Y	29.43	4.41	-	-	Y	10.08	22 3/4	79 1/8
2585	21.59	31.43	4.71	-	-	Y	31.43	4.71	-	-	Y	31.43	4.71	-	-	Y	10.63	22 3/4	83 1/8
2589	21.59	33.43	5.01	Y	-	Y	33.43	5.01	Y	-	Y	33.43	5.01	Y	-	Y	11.18	22 3/4	87 1/8
2593	21.59	35.43	5.31	Y	-	Y	35.43	5.31	Y	-	Y	34.21	5.13	Y	-	Y	11.73	22 3/4	91 1/8
2597	21.59	37.43	5.61	Y	-	Y	37.43	5.61	Y	-	Y	36.21	5.43	Y	-	Y	12.28	22 3/4	95 1/8
2937	25.59	12.90	2.29	-	-	-	12.90	2.29	-	-	-	11.68	2.07	-	-	-	4.87	26 3/4	35 1/8
2941	25.59	14.90	2.65	-	-	-	13.68	2.43	-	-	-	13.68	2.43	-	-	-	5.53	26 3/4	39 1/8
2949	25.59	18.90	3.36	-	-	-	17.68	3.14	-	-	-	17.68	3.14	-	-	-	6.84	26 3/4	47 1/8
2953	25.59	20.90	3.71	-	-	-	19.68	3.50	-	-	-	19.68	3.50	-	-	-	7.50	26 3/4	51 1/8
2957	25.59	22.90	4.07	-	-	Y	21.68	3.85	-	-	Y	21.68	3.85	-	-	Y	8.16	26 3/4	55 1/8
2961	25.59	24.90	4.42	-	-	Y	23.68	4.21	-	-	Y	23.68	4.21	-	-	Y	8.82	26 3/4	59 1/8
2965	25.59	26.90	4.78	-	-	Y	25.68	4.56	-	-	Y	25.68	4.56	-	-	Y	9.48	26 3/4	63 1/8
2969	25.59	27.68	4.92	-	-	Y	27.68	4.92	-	-	Y	27.68	4.92	-	-	Y	10.14	26 3/4	67 1/8
2973	25.59	29.68	5.27	Y	-	Y	29.68	5.27	Y	-	Y	29.68	5.27	Y	-	Y	10.80	26 3/4	71 1/8
2977	25.59	31.68	5.63	Y	-	Y	31.68	5.63	Y	-	Y	30.46	5.41	Y	-	Y	11.46	26 3/4	75 1/8
2981	25.59	29.43	5.23	Y	-	Y	29.43	5.23	Y	-	Y	28.21	5.01	Y	-	Y	12.12	26 3/4	79 1/8
2985	25.59	31.43	5.58	Y	-	Y	30.21	5.37	Y	-	Y	30.21	5.37	Y	-	Y	12.78	26 3/4	83 1/8
2989	25.59	33.43	5.94	Y	Y	Y	32.21	5.72	Y	Y	Y	32.21	5.72	Y	Y	Y	13.44	26 3/4	87 1/8
2993	25.59	35.43	6.30	Y	Y	Y	34.21	6.08	Y	Y	Y	34.21	6.08	Y	Y	Y	14.10	26 3/4	91 1/8
2997	25.59	37.43	6.65	Y	Y	Y	36.21	6.43	Y	Y	Y	36.21	6.43	Y	Y	Y	14.76	26 3/4	95 1/8
3137	27.59	12.90	2.47	-	-	-	11.68	2.24	-	-	-	11.68	2.24	-	-	-	5.28	28 3/4	35 1/8
3141	27.59	14.90	2.85	-	-	-	13.68	2.62	-	-	-	13.68	2.62	-	-	-	5.99	28 3/4	39 1/8
3149	27.59	18.90	3.62	-	-	-	17.68	3.39	-	-	-	17.68	3.39	-	-	-	7.42	28 3/4	47 1/8
3153	27.59	20.90	4.00	-	-	Y	19.68	3.77	-	-	-	19.68	3.77	-	-	-	8.14	28 3/4	51 1/8
3157	27.59	22.90	4.39	-	-	Y	21.68	4.15	-	-	Y	21.68	4.15	-	-	Y	8.85	28 3/4	55 1/8
3161	27.59	24.90	4.77	-	-	Y	23.68	4.54	-	-	Y	23.68	4.54	-	-	Y	9.57	28 3/4	59 1/8
3165	27.59	26.90	5.15	Y	-	Y	25.68	4.92	-	-	Y	25.68	4.92	-	-	Y	10.28	28 3/4	63 1/8
3169	27.59	27.68	5.30	Y	-	Y	27.68	5.30	Y	-	Y	27.68	5.30	Y	-	Y	11.00	28 3/4	67 1/8
3173	27.59	29.68	5.69	Y	-	Y	29.68	5.69	Y	-	Y	28.46	5.45	Y	-	Y	11.71	28 3/4	71 1/8
3177	27.59	31.68	6.07	Y	Y	Y	31.68	6.07	Y	Y	Y	30.46	5.84	Y	Y	Y	12.43	28 3/4	75 1/8
3181	27.59	29.43	5.64	Y	-	Y	28.21	5.40	Y	-	Y	28.21	5.40	Y	-	Y	13.14	28 3/4	79 1/8
3185	27.59	31.43	6.02	Y	Y	Y	30.21	5.79	Y	Y	Y	30.21	5.79	Y	Y	Y	13.86	28 3/4	83 1/8
3189	27.59	33.43	6.40	Y	Y	Y	32.21	6.17	Y	Y	Y	32.21	6.17	Y	Y	Y	14.57	28 3/4	87 1/8
3193	27.59	35.43	6.79	Y	Y	Y	34.21	6.55	Y	Y	Y	34.21	6.55	Y	Y	Y	15.29	28 3/4	91 1/8
3197	27.59	37.43	7.17	Y	Y	Y	36.21	6.94	Y	Y	Y	36.21	6.94	Y	Y	Y	16.00	28 3/4	95 1/8



* Egress Code Compliance

Terminology

Y Meets Code

- Does Not Meet Code



Code Requirements	Min Width	Min Height	Min Area (sq.ft.)
U.S.	20"	24"	5.7
U.S. Grade Floor	20"	24"	5.0
Canada	15"	15"	3.77

Pinnacle Series

SELECT DOUBLE HUNG

EGRESS, LITE & SCREEN MEASUREMENTS

Egress, Lite and Vent Measurements																			
Double Hung																			
Size	Egress Width	Dual Pane					Dual Pane Lami					Triple Pane					Sq. Ft. Daylite	Screen Size	
		Egress Height	Sq. Ft. Egress	Egress Code Compliance*			Egress Height	Sq. Ft. Egress	Egress Code Compliance*			Egress Height	Sq. Ft. Egress	Egress Code Compliance*					
				U.S.		Canada			U.S.		Canada			U.S.		Canada			
				5.0 ft²	5.7 ft²				5.0 ft²	5.7 ft²				5.0 ft²	5.7 ft²				
3337	29.59	12.90	2.65	-	-	-	11.68	2.40	-	-	-	11.68	2.40	-	-	-	5.68	30 3/4	35 1/8
3341	29.59	14.90	3.06	-	-	-	13.68	2.81	-	-	-	13.68	2.81	-	-	-	6.46	30 3/4	39 1/8
3349	29.59	17.68	3.63	-	-	-	17.68	3.63	-	-	-	17.68	3.63	-	-	-	8.00	30 3/4	47 1/8
3353	29.59	19.68	4.04	-	-	Y	19.68	4.04	-	-	Y	19.68	4.04	-	-	Y	8.77	30 3/4	51 1/8
3357	29.59	21.68	4.45	-	-	Y	21.68	4.45	-	-	Y	21.68	4.45	-	-	Y	9.54	30 3/4	55 1/8
3361	29.59	23.68	4.86	-	-	Y	23.68	4.86	-	-	Y	23.68	4.86	-	-	Y	10.31	30 3/4	59 1/8
3365	29.59	25.68	5.28	Y	-	Y	25.68	5.28	Y	-	Y	25.68	5.28	Y	-	Y	11.08	30 3/4	63 1/8
3369	29.59	27.68	5.69	Y	-	Y	27.68	5.69	Y	-	Y	26.46	5.44	Y	-	Y	11.85	30 3/4	67 1/8
3373	29.59	29.68	6.10	Y	Y	Y	29.68	6.10	Y	Y	Y	28.46	5.85	Y	Y	Y	12.62	30 3/4	71 1/8
3377	29.59	31.68	6.51	Y	Y	Y	30.46	6.26	Y	Y	Y	30.46	6.26	Y	Y	Y	13.39	30 3/4	75 1/8
3381	29.59	29.43	6.05	Y	Y	Y	28.21	5.80	Y	Y	Y	28.21	5.80	Y	Y	Y	14.16	30 3/4	79 1/8
3385	29.59	31.43	6.46	Y	Y	Y	30.21	6.21	Y	Y	Y	30.21	6.21	Y	Y	Y	14.93	30 3/4	83 1/8
3389	29.59	33.43	6.87	Y	Y	Y	32.21	6.62	Y	Y	Y	32.21	6.62	Y	Y	Y	15.71	30 3/4	87 1/8
3393	29.59	35.43	7.28	Y	Y	Y	34.21	7.03	Y	Y	Y	34.21	7.03	Y	Y	Y	16.48	30 3/4	91 1/8
3397	29.59	36.21	7.44	Y	Y	Y	36.21	7.44	Y	Y	Y	36.21	7.44	Y	Y	Y	17.25	30 3/4	95 1/8
3537	31.59	12.90	2.83	-	-	-	11.68	2.56	-	-	-	11.68	2.56	-	-	-	6.09	32 3/4	35 1/8
3541	31.59	13.68	3.00	-	-	-	13.68	3.00	-	-	-	13.68	3.00	-	-	-	6.92	32 3/4	39 1/8
3549	31.59	17.68	3.88	-	-	Y	17.68	3.88	-	-	Y	17.68	3.88	-	-	Y	8.57	32 3/4	47 1/8
3553	31.59	19.68	4.32	-	-	Y	19.68	4.32	-	-	Y	19.68	4.32	-	-	Y	9.40	32 3/4	51 1/8
3557	31.59	21.68	4.75	-	-	Y	21.68	4.75	-	-	Y	21.68	4.75	-	-	Y	10.23	32 3/4	55 1/8
3561	31.59	23.68	5.19	-	-	Y	23.68	5.19	-	-	Y	23.68	5.19	-	-	Y	11.05	32 3/4	59 1/8
3565	31.59	25.68	5.63	Y	-	Y	25.68	5.63	Y	-	Y	24.46	5.36	Y	-	Y	11.88	32 3/4	63 1/8
3569	31.59	27.68	6.07	Y	Y	Y	26.46	5.80	Y	Y	Y	26.46	5.80	Y	Y	Y	12.71	32 3/4	67 1/8
3573	31.59	29.68	6.51	Y	Y	Y	28.46	6.24	Y	Y	Y	28.46	6.24	Y	Y	Y	13.53	32 3/4	71 1/8
3577	31.59	31.68	6.95	Y	Y	Y	30.46	6.68	Y	Y	Y	30.46	6.68	Y	Y	Y	14.36	32 3/4	75 1/8
3581	31.59	29.43	6.46	Y	Y	Y	28.21	6.19	Y	Y	Y	28.21	6.19	Y	Y	Y	15.18	32 3/4	79 1/8
3585	31.59	31.43	6.89	Y	Y	Y	30.21	6.63	Y	Y	Y	30.21	6.63	Y	Y	Y	16.01	32 3/4	83 1/8
3589	31.59	33.43	7.33	Y	Y	Y	32.21	7.06	Y	Y	Y	32.21	7.06	Y	Y	Y	16.84	32 3/4	87 1/8
3593	31.59	34.21	7.50	Y	Y	Y	34.21	7.50	Y	Y	Y	34.21	7.50	Y	Y	Y	17.66	32 3/4	91 1/8
3597	31.59	36.21	7.94	Y	Y	Y	36.21	7.94	Y	Y	Y	36.21	7.94	Y	Y	Y	18.49	32 3/4	95 1/8
3737	33.59	11.68	2.72	-	-	-	11.68	2.72	-	-	-	11.68	2.72	-	-	-	6.50	34 3/4	35 1/8
3741	33.59	13.68	3.19	-	-	-	13.68	3.19	-	-	-	13.68	3.19	-	-	-	7.39	34 3/4	39 1/8
3749	33.59	17.68	4.12	-	-	Y	17.68	4.12	-	-	Y	17.68	4.12	-	-	Y	9.15	34 3/4	47 1/8
3753	33.59	19.68	4.59	-	-	Y	19.68	4.59	-	-	Y	19.68	4.59	-	-	Y	10.03	34 3/4	51 1/8
3757	33.59	21.68	5.06	-	-	Y	21.68	5.06	-	-	Y	21.68	5.06	-	-	Y	10.91	34 3/4	55 1/8
3761	33.59	23.68	5.52	-	-	Y	23.68	5.52	-	-	Y	22.46	5.24	-	-	Y	11.80	34 3/4	59 1/8
3765	33.59	25.68	5.99	Y	Y	Y	24.46	5.70	Y	Y	Y	24.46	5.70	Y	Y	Y	12.68	34 3/4	63 1/8
3769	33.59	27.68	6.46	Y	Y	Y	26.46	6.17	Y	Y	Y	26.46	6.17	Y	Y	Y	13.56	34 3/4	67 1/8
3773	33.59	29.68	6.92	Y	Y	Y	28.46	6.64	Y	Y	Y	28.46	6.64	Y	Y	Y	14.44	34 3/4	71 1/8
3777	33.59	31.68	7.39	Y	Y	Y	30.46	7.10	Y	Y	Y	30.46	7.10	Y	Y	Y	15.32	34 3/4	75 1/8
3781	33.59	29.43	6.86	Y	Y	Y	28.21	6.58	Y	Y	Y	28.21	6.58	Y	Y	Y	16.21	34 3/4	79 1/8
3785	33.59	31.43	7.33	Y	Y	Y	30.21	7.05	Y	Y	Y	30.21	7.05	Y	Y	Y	17.09	34 3/4	83 1/8
3789	33.59	32.21	7.51	Y	Y	Y	32.21	7.51	Y	Y	Y	32.21	7.51	Y	Y	Y	17.97	34 3/4	87 1/8
3793	33.59	34.21	7.98	Y	Y	Y	34.21	7.98	Y	Y	Y	32.99	7.69	Y	Y	Y	18.85	34 3/4	91 1/8
3797	33.59	36.21	8.45	Y	Y	Y	36.21	8.45	Y	Y	Y	34.99	8.16	Y	Y	Y	19.73	34 3/4	95 1/8
4137	37.59	11.68	3.05	-	-	-	11.68	3.05	-	-	-	11.68	3.05	-	-	-	7.32	38 3/4	35 1/8
4141	37.59	13.68	3.57	-	-	-	13.68	3.57	-	-	-	13.68	3.57	-	-	-	8.32	38 3/4	39 1/8
4149	37.59	17.68	4.61	-	-	Y	17.68	4.61	-	-	Y	17.68	4.61	-	-	Y	10.30	38 3/4	47 1/8
4153	37.59	19.68	5.14	-	-	Y	19.68	5.14	-	-	Y	19.68	5.14	-	-	Y	11.30	38 3/4	51 1/8
4157	37.59	21.68	5.66	-	-	Y	21.68	5.66	-	-	Y	20.46	5.34	-	-	Y	12.29	38 3/4	55 1/8
4161	37.59	23.68	6.18	-	-	Y	23.68	6.18	-	-	Y	22.46	5.86	-	-	Y	13.28	38 3/4	59 1/8
4165	37.59	25.68	6.70	Y	Y	Y	24.46	6.38	Y	Y	Y	24.46	6.38	Y	Y	Y	14.28	38 3/4	63 1/8
4169	37.59	27.68	7.22	Y	Y	Y	26.46	6.91	Y	Y	Y	26.46	6.91	Y	Y	Y	15.27	38 3/4	67 1/8
4173	37.59	28.46	7.43	Y	Y	Y	28.46	7.43	Y	Y	Y	28.46	7.43	Y	Y	Y	16.26	38 3/4	71 1/8
4177	37.59	30.46	7.95	Y	Y	Y	30.46	7.95	Y	Y	Y	30.46	7.95	Y	Y	Y	17.25	38 3/4	75 1/8
4181	37.59	28.21	7.36	Y	Y	Y	28.21	7.36	Y	Y	Y	28.21	7.36	Y	Y	Y	18.25	38 3/4	79 1/8
4185	37.59	30.21	7.88	Y	Y	Y	30.21	7.88	Y	Y	Y	28.99	7.57	Y	Y	Y	19.24	38 3/4	83 1/8
4189	37.59	32.21	8.41	Y	Y	Y	32.21	8.41	Y	Y	Y	30.99	8.09	Y	Y	Y	20.23	38 3/4	87 1/8
4193	37.59	34.21	8.93	Y	Y	Y	32.99	8.61	Y	Y	Y	32.99	8.61	Y	Y	Y	21.23	38 3/4	91 1/8
4197	37.59	36.21	9.45	Y	Y	Y	34.99	9.13	Y	Y	Y	34.99	9.13	Y	Y	Y	22.22	38 3/4	95 1/8



* Egress Code Compliance

Terminology

Y Meets Code

- Does Not Meet Code



Code Requirements	Min Width	Min Height	Min Area (sq.ft.)
U.S.	20"	24"	5.7
U.S. Grade Floor	20"	24"	5.0
Canada	15"	15"	3.77

Pinnacle Series

SELECT DOUBLE HUNG

EGRESS, LITE & SCREEN MEASUREMENTS

Egress, Lite and Vent Measurements																			
Double Hung																			
Size	Egress Width	Dual Pane					Dual Pane Lami					Triple Pane					Sq. Ft. Daylite	Screen Size	
		Egress Height	Sq. Ft. Egress	Egress Code Compliance*			Egress Height	Sq. Ft. Egress	Egress Code Compliance*			Egress Height	Sq. Ft. Egress	Egress Code Compliance*					
				U.S.		Canada			U.S.		Canada			U.S.		Canada			
				5.0 ft ²	5.7 ft ²				5.0 ft ²	5.7 ft ²				5.0 ft ²	5.7 ft ²				
4537	41.59	11.68	3.37	-	-	-	11.68	3.37	-	-	-	11.68	3.37	-	-	-	8.14	42 3/4	35 1/8
4541	41.59	13.68	3.95	-	-	-	13.68	3.95	-	-	-	13.68	3.95	-	-	-	9.25	42 3/4	39 1/8
4549	41.59	17.68	5.10	-	-	Y	17.68	5.10	-	-	Y	16.46	4.75	-	-	Y	11.46	42 3/4	47 1/8
4553	41.59	19.68	5.68	-	-	Y	18.46	5.33	-	-	Y	18.46	5.33	-	-	Y	12.56	42 3/4	51 1/8
4557	41.59	21.68	6.26	-	-	Y	20.46	5.91	-	-	Y	20.46	5.91	-	-	Y	13.66	42 3/4	55 1/8
4561	41.59	23.68	6.84	-	-	Y	22.46	6.49	-	-	Y	22.46	6.49	-	-	Y	14.77	42 3/4	59 1/8
4565	41.59	25.68	7.42	Y	Y	Y	24.46	7.06	Y	Y	Y	24.46	7.06	Y	Y	Y	15.87	42 3/4	63 1/8
4569	41.59	27.68	7.99	Y	Y	Y	26.46	7.64	Y	Y	Y	26.46	7.64	Y	Y	Y	16.98	42 3/4	67 1/8
4573	41.59	28.46	8.22	Y	Y	Y	28.46	8.22	Y	Y	Y	28.46	8.22	Y	Y	Y	18.08	42 3/4	71 1/8
4577	41.59	30.46	8.80	Y	Y	Y	30.46	8.80	Y	Y	Y	29.24	8.44	Y	Y	Y	19.18	42 3/4	75 1/8
4581	41.59	28.21	8.15	Y	Y	Y	28.21	8.15	Y	Y	Y	26.99	7.79	Y	Y	Y	20.29	42 3/4	79 1/8
4585	41.59	30.21	8.72	Y	Y	Y	28.99	8.37	Y	Y	Y	28.99	8.37	Y	Y	Y	21.39	42 3/4	83 1/8
4589	41.59	32.21	9.30	Y	Y	Y	30.99	8.95	Y	Y	Y	30.99	8.95	Y	Y	Y	22.50	42 3/4	87 1/8
4593	41.59	34.21	9.88	Y	Y	Y	32.99	9.53	Y	Y	Y	32.99	9.53	Y	Y	Y	23.60	42 3/4	91 1/8
4597	41.59	36.21	10.46	Y	Y	Y	34.99	10.10	Y	Y	Y	34.99	10.10	Y	Y	Y	24.71	42 3/4	95 1/8
4737	43.59	11.68	3.53	-	-	-	11.68	3.53	-	-	-	11.68	3.53	-	-	-	8.55	44 3/4	35 1/8
4741	43.59	13.68	4.14	-	-	-	13.68	4.14	-	-	-	13.68	4.14	-	-	-	9.71	44 3/4	39 1/8
4749	43.59	17.68	5.35	-	-	Y	17.68	5.35	-	-	Y	16.46	4.98	-	-	Y	12.03	44 3/4	47 1/8
4753	43.59	19.68	5.96	-	-	Y	18.46	5.59	-	-	Y	18.46	5.59	-	-	Y	13.19	44 3/4	51 1/8
4757	43.59	21.68	6.56	-	-	Y	20.46	6.19	-	-	Y	20.46	6.19	-	-	Y	14.35	44 3/4	55 1/8
4761	43.59	23.68	7.17	-	-	Y	22.46	6.80	-	-	Y	22.46	6.80	-	-	Y	15.51	44 3/4	59 1/8
4765	43.59	25.68	7.77	Y	Y	Y	24.46	7.40	Y	Y	Y	24.46	7.40	Y	Y	Y	16.67	44 3/4	63 1/8
4769	43.59	26.46	8.01	Y	Y	Y	26.46	8.01	Y	Y	Y	26.46	8.01	Y	Y	Y	17.83	44 3/4	67 1/8
4773	43.59	28.46	8.61	Y	Y	Y	28.46	8.61	Y	Y	Y	27.24	8.24	Y	Y	Y	18.99	44 3/4	71 1/8
4777	43.59	30.46	9.22	Y	Y	Y	29.24	8.85	Y	Y	Y	29.24	8.85	Y	Y	Y	20.15	44 3/4	75 1/8
4781	43.59	28.21	8.54	Y	Y	Y	26.99	8.17	Y	Y	Y	26.99	8.17	Y	Y	Y	21.31	44 3/4	79 1/8
4785	43.59	30.21	9.14	Y	Y	Y	28.99	8.77	Y	Y	Y	28.99	8.77	Y	Y	Y	22.47	44 3/4	83 1/8
4789	43.59	32.21	9.75	Y	Y	Y	30.99	9.38	Y	Y	Y	30.99	9.38	Y	Y	Y	23.63	44 3/4	87 1/8
4793	43.59	34.21	10.35	Y	Y	Y	32.99	9.98	Y	Y	Y	32.99	9.98	Y	Y	Y	24.79	44 3/4	91 1/8
4797	43.59	36.21	10.96	Y	Y	Y	34.99	10.59	Y	Y	Y	34.99	10.59	Y	Y	Y	25.95	44 3/4	95 1/8



* Egress Code Compliance

Terminology

Y Meets Code

- Does Not Meet Code

Code Requirements	Min Width	Min Height	Min Area (sq.ft.)
U.S.	20"	24"	5.7
U.S. Grade Floor	20"	24"	5.0
Canada	15"	15"	3.77