



Pinnacle Series

SELECT GLIDE BY

EGRESS, LITE & SCREEN MEASUREMENTS

Egress, Lite and Vent Measurements									
Glide By									
Size	Egress Width	Dual Pane					Sq. Ft. Daylite	Screen Size	
		Egress Height	Sq. Ft. Egress	Egress Code Compliance*		Canada			
				U.S.					
				5.0 ft²	5.7 ft²				
3624	14.09	19.81	1.94	-	-	-	3.82	16 1/2	22 1/8
3630	14.09	25.81	2.53	-	-	-	5.06	16 1/2	28 1/8
3636	14.09	31.81	3.11	-	-	-	6.30	16 1/2	34 1/8
3642	14.09	37.81	3.70	-	-	-	7.54	16 1/2	40 1/8
3648	14.09	43.81	4.29	-	-	-	8.78	16 1/2	46 1/8
3654	14.09	49.81	4.88	-	-	-	10.02	16 1/2	52 1/8
3660	14.09	55.81	5.46	-	-	-	11.26	16 1/2	58 1/8
4224	17.09	19.81	2.35	-	-	-	4.59	19 1/2	22 1/8
4230	17.09	25.81	3.06	-	-	-	6.08	19 1/2	28 1/8
4236	17.09	31.81	3.78	-	-	Y	7.57	19 1/2	34 1/8
4242	17.09	37.81	4.49	-	-	Y	9.06	19 1/2	40 1/8
4248	17.09	43.81	5.20	-	-	Y	10.55	19 1/2	46 1/8
4254	17.09	49.81	5.91	-	-	Y	12.04	19 1/2	52 1/8
4260	17.09	55.81	6.63	-	-	Y	13.53	19 1/2	58 1/8
4824	20.09	19.81	2.76	-	-	-	5.36	22 1/2	22 1/8
4830	20.09	25.81	3.60	-	-	-	7.10	22 1/2	28 1/8
4836	20.09	31.81	4.44	-	-	Y	8.84	22 1/2	34 1/8
4842	20.09	37.81	5.28	Y	-	Y	10.58	22 1/2	40 1/8
4848	20.09	43.81	6.11	Y	Y	Y	12.32	22 1/2	46 1/8
4854	20.09	49.81	6.95	Y	Y	Y	14.06	22 1/2	52 1/8
4860	20.09	55.81	7.79	Y	Y	Y	15.80	22 1/2	58 1/8
5424	23.09	19.81	3.18	-	-	-	6.13	25 1/2	22 1/8
5430	23.09	25.81	4.14	-	-	Y	8.12	25 1/2	28 1/8
5436	23.09	31.81	5.10	Y	-	Y	10.11	25 1/2	34 1/8
5442	23.09	37.81	6.06	Y	Y	Y	12.10	25 1/2	40 1/8
5448	23.09	43.81	7.03	Y	Y	Y	14.09	25 1/2	46 1/8
5454	23.09	49.81	7.99	Y	Y	Y	16.08	25 1/2	52 1/8
5460	23.09	55.81	8.95	Y	Y	Y	18.07	25 1/2	58 1/8
6024	26.09	19.81	3.59	-	-	-	6.91	28 1/2	22 1/8
6030	26.09	25.81	4.68	-	-	Y	9.14	28 1/2	28 1/8
6036	26.09	31.81	5.76	Y	Y	Y	11.38	28 1/2	34 1/8
6042	26.09	37.81	6.85	Y	Y	Y	13.62	28 1/2	40 1/8
6048	26.09	43.81	7.94	Y	Y	Y	15.86	28 1/2	46 1/8
6054	26.09	49.81	9.03	Y	Y	Y	18.10	28 1/2	52 1/8
6060	26.09	55.81	10.11	Y	Y	Y	20.34	28 1/2	58 1/8
6624	29.09	19.81	4.00	-	-	Y	7.68	31 1/2	22 1/8
6630	29.09	25.81	5.22	Y	-	Y	10.17	31 1/2	28 1/8
6636	29.09	31.81	6.43	Y	Y	Y	12.66	31 1/2	34 1/8
6642	29.09	37.81	7.64	Y	Y	Y	15.14	31 1/2	40 1/8
6648	29.09	43.81	8.85	Y	Y	Y	17.63	31 1/2	46 1/8
6654	29.09	49.81	10.06	Y	Y	Y	20.12	31 1/2	52 1/8
6660	29.09	55.81	11.28	Y	Y	Y	22.61	31 1/2	58 1/8
7224	32.09	19.81	4.42	-	-	Y	8.45	34 1/2	22 1/8
7230	32.09	25.81	5.75	Y	Y	Y	11.19	34 1/2	28 1/8
7236	32.09	31.81	7.09	Y	Y	Y	13.93	34 1/2	34 1/8
7242	32.09	37.81	8.43	Y	Y	Y	16.67	34 1/2	40 1/8
7248	32.09	43.81	9.76	Y	Y	Y	19.41	34 1/2	46 1/8
7254	32.09	49.81	11.10	Y	Y	Y	22.14	34 1/2	52 1/8
7260	32.09	55.81	12.44	Y	Y	Y	24.88	34 1/2	58 1/8



Egress Conversions	
Width	(Frame / 2) - 3.906"
Height	Frame - 4.188"

* Egress Code Compliance Terminology

- Y Meets Code
- Does Not Meet Code



Code Requirements	Min Width	Min Height	Min Area (sq.ft.)
U.S.	20"	24"	5.7
U.S. Grade Floor	20"	24"	5.0
Canada	15"	15"	3.77

Pinnacle Series

SELECT GLIDE BY

EGRESS, LITE & SCREEN MEASUREMENTS

Egress, Lite and Vent Measurements									
Glide By - End Vent									
Size	Egress Width	Dual Pane					Sq. Ft. Daylite	Screen Size	
		Egress Height	Sq. Ft. Egress	Egress Code Compliance*					
				U.S.		Canada			
				5.0 ft ²	5.7 ft ²				
7224	15.28	19.81	2.10	-	-	-	8.32	16 1/2	22 1/8
7230	15.28	25.81	2.74	-	-	-	11.02	16 1/2	28 1/8
7236	15.28	31.81	3.38	-	-	-	13.71	16 1/2	34 1/8
7242	15.28	37.81	4.01	-	-	Y	16.41	16 1/2	40 1/8
7248	15.28	43.81	4.65	-	-	Y	19.11	16 1/2	46 1/8
7254	15.28	49.81	5.29	-	-	Y	21.81	16 1/2	52 1/8
7260	15.28	55.81	5.92	-	-	Y	24.51	16 1/2	58 1/8
8424	18.28	19.81	2.52	-	-	-	9.86	19 1/2	22 1/8
8430	18.28	25.81	3.28	-	-	-	13.06	19 1/2	28 1/8
8436	18.28	31.81	4.04	-	-	Y	16.26	19 1/2	34 1/8
8442	18.28	37.81	4.80	-	-	Y	19.45	19 1/2	40 1/8
8448	18.28	43.81	5.56	-	-	Y	22.65	19 1/2	46 1/8
8454	18.28	49.81	6.32	-	-	Y	25.85	19 1/2	52 1/8
8460	18.28	55.81	7.09	-	-	Y	29.05	19 1/2	58 1/8
9624	21.28	19.81	2.93	-	-	-	11.40	22 1/2	22 1/8
9630	21.28	25.81	3.81	-	-	Y	15.10	22 1/2	28 1/8
9636	21.28	31.81	4.70	-	-	Y	18.80	22 1/2	34 1/8
9642	21.28	37.81	5.59	Y	-	Y	22.50	22 1/2	40 1/8
9648	21.28	43.81	6.47	Y	Y	Y	26.19	22 1/2	46 1/8
9654	21.28	49.81	7.36	Y	Y	Y	29.89	22 1/2	52 1/8
9660	21.28	55.81	8.25	Y	Y	Y	33.59	22 1/2	58 1/8
10824	24.28	19.81	3.34	-	-	-	12.94	25 1/2	22 1/8
10830	24.28	25.81	4.35	-	-	Y	17.14	25 1/2	28 1/8
10836	24.28	31.81	5.36	Y	-	Y	21.34	25 1/2	34 1/8
10842	24.28	37.81	6.38	Y	Y	Y	25.54	25 1/2	40 1/8
10848	24.28	43.81	7.39	Y	Y	Y	29.74	25 1/2	46 1/8
10854	24.28	49.81	8.40	Y	Y	Y	33.93	25 1/2	52 1/8
10860	24.28	55.81	9.41	Y	Y	Y	38.13	25 1/2	58 1/8



Egress Conversions	
Width	$((\text{Frame} - 7.25) / 4) + 0.406"$
Height	$\text{Frame} - 4.188"$

* Egress Code Compliance Terminology

- Y Meets Code
- Does Not Meet Code

Code Requirements	Min Width	Min Height	Min Area (sq.ft.)
U.S.	20"	24"	5.7
U.S. Grade Floor	20"	24"	5.0
Canada	15"	15"	3.77