



Pinnacle Select Series

DOUBLE HUNG - 21" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

Mas. Opg. Clad	21 3/4	42 3/4	63 3/4
Rough Opg.	21 3/4	42 3/4	63 3/4
Frame	21	42	63
Glass	15 3/4	15 3/4	15 3/4
37 1/2			
41 1/2			
49 1/2			
53 1/2			
57 1/2			
61 1/2			
65 1/2			
69 1/2			
73 1/2			
77 1/2			
88 1/2			

OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:









CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series

DOUBLE HUNG - 21" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

Mas. Opg. Clad	21 3/4	42 3/4	63 3/4
Rough Opg.	21 3/4	42 3/4	63 3/4
Frame	21	42	63
Glass	15 3/4	15 3/4	15 3/4
85 3/4			
85 3/4	2185	2185-2	2185-3
85			
38 3/4	2189	2189-2	2189-3
89 3/4			
89 3/4	2193	2193-2	2193-3
89			
40 3/4	2197	2197-2	6397-3
93 3/4			
93 3/4			
93			
42 3/4			
97 3/4			
97 3/4			
97			
44 3/4			

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:













CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - 25" WIDE

ELEVATIONS


SCALE: 1/8" = 1'-0"

Mas. Opp. Clad	25 3/4	50 3/4	75 3/4
Rough Opp.	25 3/4	50 3/4	75 3/4
Frame	25	50	75
Glass	19 3/4	19 3/4	19 3/4
37 1/2			
41 1/2			
49 1/2			
53 1/2			
57 1/2			
61 1/2			
65 1/2			
69 1/2			
73 1/2			
77 1/2			
88 1/2			
			
			
			
			

OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series

DOUBLE HUNG - 25" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opp. Clad Rough Opp. Frame Glass	25 3/4	50 3/4	75 3/4
		25 3/4	50 3/4	75 3/4
		25	50	75
		19 3/4	19 3/4	19 3/4
85 3/4				
85 3/4		2585	2585-2	2585-3
85				
38 3/4				
89 3/4				
89 3/4		2589	2589-2	2589-3
89				
40 3/4				
93 3/4				
93 3/4		2593	2593-2	2593-3
93				
42 3/4				
97 3/4				
97 3/4		2597	2597-2	2597-3
97				
44 3/4				

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTES:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:






CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series

DOUBLE HUNG - 29" WIDE

ELEVATIONS


SCALE: 1/8" = 1'-0"

Mas. Opq. Clad	29 3/4	58 3/4	87 3/4
Rough Opq.	29 3/4	58 3/4	87 3/4
Frame	29	58	87
Glass	23 3/4	23 3/4	23 3/4
37 1/2			
	2937	2937-2	2937-3
41 1/2			
	2941	2941-2	2941-3
49 1/2			
	2949	2949-2	2949-3
53 1/2			
	2953	2953-2	2953-3
57 1/2			
	2957	2957-2	2957-3
61 1/2			
	2961	2961-2	2961-3
65 1/2			
	2965	2965-2	2965-3
69 1/2			
	2969	2969-2	2969-3
73 1/2			
	2973	2973-2	2973-3
77 1/2			
	2977	2977-2	2977-3
83 1/2			
	2981	2981-2	2981-3

OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:











CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - 29" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opq. Clad	29 3/4	58 3/4	87 3/4
	Rough Opq.	29 3/4	58 3/4	87 3/4
	Frame	29	58	87
	Glass	23 3/4	23 3/4	23 3/4
85 3/4				
85 3/4		2985	2985-2	2985-3
85				
38 3/4				
89 3/4				
89 3/4		2989	2989-2	2989-3
89				
40 3/4				
93 3/4				
93 3/4		2993	2993-2	2993-3
93				
42 3/4				
97 3/4				
97 3/4		2997	2997-2	2997-3
97				
44 3/4				

OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTES:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

ELEVATIONS
SCALE: 1/8" = 1'-0"

OTHER GRILLE PATTERNS

		
PRAIRIE	PLAZA	DIAMOND

FOR CLAD BRICKMOULD

- ❑ ADD 2 13/16" TO FRAME WIDTH
- ❑ ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ❑ ADD 6 1/2" TO FRAME WIDTH
- ❑ ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ❑ ADD 5 7/8" TO FRAME WIDTH
- ❑ ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING











9/4/26

Pinnacle Select Series


DOUBLE HUNG - 31" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad Rough Opg. Frame Glass	31 3/4 31 3/4 31 25 3/4	62 3/4 62 3/4 62 25 3/4	93 3/4 93 3/4 93 25 3/4
85 3/4 85 3/4 85 38 3/4				
	3185	3185-2	3185-3	
89 3/4 89 3/4 89 40 3/4				
	3189	3189-2	3189-3	
93 3/4 93 3/4 93 42 3/4				
	3193	3193-2	3193-3	
97 3/4 97 3/4 97 44 3/4				
	3197	3197-2	3197-3	

OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:





CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - 33" WIDE

ELEVATIONS


SCALE: 1/8" = 1'-0"

Mas. Opq. Clad	33 3/4	66 3/4	99 3/4
Rough Opq.	33 3/4	66 3/4	99 3/4
Frame	33	66	99
Glass	27 3/4	27 3/4	27 3/4
37 1/2			
37 1/2	3337	3337-2	3337-3
41 1/2			
41 1/2	3341	3341-2	3341-3
49 1/2			
49 1/2	3349	3349-2	3349-3
53 1/2			
53 1/2	3353	3353-2	3353-3
57 1/2			
57 1/2	3357	3357-2	3357-3
61 1/2			
61 1/2	3361	3361-2	3361-3
65 1/2			
65 1/2	3365	3365-2	3365-3
69 1/2			
69 1/2	3369	3369-2	3369-3
73 1/2			
73 1/2	3373	3373-2	3373-3
77 1/2			
77 1/2	3377	3377-2	3377-3
81 1/2			
81 1/2	3381	3381-2	3381-3
81 1/2			
81 1/2	3381	3381-2	3381-3

OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:













CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series

DOUBLE HUNG - 33" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

Mas. Opg. Clad	33 3/4	66 3/4	99 3/4
Rough Opg.	33 3/4	66 3/4	99 3/4
Frame	33	66	99
Glass	27 3/4	27 3/4	27 3/4
85 3/4			
85 3/4	3385	3385-2	3385-3
85			
38 3/4			
89 3/4			
89 3/4	3389	3389-2	3389-3
89			
40 3/4			
93 3/4			
93 3/4	3393	3393-2	3393-3
93			
42 3/4			
97 3/4			
97 3/4	3397	3397-2	3397-3
97			
44 3/4			

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - 35" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad Rough Opg. Frame Glass	35 3/4 35 3/4 35 29 3/4	70 3/4 70 3/4 70 29 3/4	105 3/4 105 3/4 105 29 3/4
37 1/2	37 1/2			
41 1/2	41 1/2			
49 1/2	49 1/2			
53 1/2	53 1/2			
57 1/2	57 1/2			
61 1/2	61 1/2			
65 1/2	65 1/2			
69 1/2	69 1/2			
73 1/2	73 1/2			
77 1/2	77 1/2			
81 1/2	81 1/2			


OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:













CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series

DOUBLE HUNG - 35" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad Rough Opg. Frame Glass				
		35 3/4	70 3/4	105 3/4	
		35 3/4	70 3/4	105 3/4	
		35	70	105	
		29 3/4	29 3/4	29 3/4	
85 3/4					
85 3/4		3585	3585-2	3585-3	
85					
38 3/4					
89 3/4					
89 3/4		3589	3589-2	3589-3	
89					
40 3/4					
93 3/4					
93 3/4		3593	3593-2	3593-3	
93					
42 3/4					
97 3/4					
97 3/4		3597	3597-2	3597-3	
97					
44 3/4					

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:






CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series

DOUBLE HUNG - 37" WIDE

ELEVATIONS


SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad	37 3/4	74 3/4	111 3/4
	Rough Opg.	37 3/4	74 3/4	111 3/4
	Frame	37	74	111
	Glass	31 3/4	31 3/4	31 3/4
37 1/2	37 1/2			
		3737	3737-2	3737-3
41 1/2	41 1/2			
		3741	3741-2	3741-3
49 1/2	49 1/2			
		3749	3749-2	3749-3
53 1/2	53 1/2			
		3753	3753-2	3753-3
57 1/2	57 1/2			
		3757	3757-2	3757-3
61 1/2	61 1/2			
		3761	3761-2	3761-3
65 1/2	65 1/2			
		3765	3765-2	3765-3
69 1/2	69 1/2			
		3769	3769-2	3769-3
73 1/2	73 1/2			
		3773	3773-2	3773-3
77 1/2	77 1/2			
		3777	3777-2	3777-3
81 1/2	81 1/2			
		3781	3781-2	3781-3


OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:













CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series

DOUBLE HUNG - 37" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad Rough Opg. Frame Glass	37 3/4	74 3/4	111 3/4
		37 3/4	74 3/4	111 3/4
		37	74	111
		31 3/4	31 3/4	31 3/4
85 3/4				
85 3/4				
85				
38 3/4				
		3785	3785-2	3785-3
89 3/4				
89 3/4				
89				
40 3/4				
		3789	3789-2	3789-3
93 3/4				
93 3/4				
93				
42 3/4				
		3793	3793-2	3793-3
97 3/4				
97 3/4				
97				
44 3/4				
		3797	3797-2	3797-3

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTES:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:







CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - 41" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad	41 3/4	82 3/4	123 3/4
	Rough Opg.	41 3/4	82 3/4	123 3/4
	Frame	41	82	123
	Glass	35 3/4	35 3/4	35 3/4
37 1/2	37 1/2			
		4137	4137-2	4137-3
41 1/2	41 1/2			
		4141	4141-2	4141-3
49 1/2	49 1/2			
		4149	4149-2	4149-3
53 1/2	53 1/2			
		4153	4153-2	4153-3
57 1/2	57 1/2			
		4157	4157-2	4157-3
61 1/2	61 1/2			
		4161	4161-2	4161-3
65 1/2	65 1/2			
		4165	4165-2	4165-3
69 1/2	69 1/2			
		4169	4169-2	4169-3
73 1/2	73 1/2			
		4173	4173-2	4173-3
77 1/2	77 1/2			
		4177	4177-2	4177-3
81 1/2	81 1/2			
		4181	4181-2	4181-3

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:













CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - 41" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad Rough Opg. Frame Glass	41 3/4	82 3/4	123 3/4
		41 3/4	82 3/4	123 3/4
		41	82	123
		35 3/4	35 3/4	35 3/4
85 3/4				
85 3/4		4185	4185-2	4185-3
85				
38 3/4				
89 3/4				
89 3/4		4189	4189-2	4189-3
89				
40 3/4				
93 3/4				
93 3/4		4193	4193-2	4193-3
93				
42 3/4				
97 3/4				
97 3/4		4197	4197-2	4197-3
97				
44 3/4				

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:

















CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - 45" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad	45 3/4	90 3/4	135 3/4
	Rough Opg.	45 3/4	90 3/4	135 3/4
	Frame	45	90	135
	Glass	39 3/4	39 3/4	39 3/4
37 1/2	37 1/2			
		4537	4537-2	4537-3
41 1/2	41 1/2			
		4541	4541-2	4541-3
49 1/2	49 1/2			
		4549	4549-2	4549-3
53 1/2	53 1/2			
		4553	4553-2	4553-3
57 1/2	57 1/2			
		4557	4557-2	4557-3
61 1/2	61 1/2			
		4561	4561-2	4561-3
65 1/2	65 1/2			
		4565	4565-2	4565-3
69 1/2	69 1/2			
		4569	4569-2	4569-3
73 1/2	73 1/2			
		4573	4573-2	4573-3
77 1/2	77 1/2			
		4577	4577-2	4577-3
81 1/2	81 1/2			
		4581	4581-2	4581-3

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - 47" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opn. Clad Rough Opp. Frame Glass	47	94	141
	41 3/4	41 3/4	41 3/4	41 3/4
37 1/2	37 1/2			
		4737	4737-2	4737-3
41 1/2	41 1/2			
		4741	4741-2	4741-3
49 1/2	49 1/2			
		4749	4749-2	4749-3
53 1/2	53 1/2			
		4753	4753-2	4753-3
57 1/2	57 1/2			
		4757	4757-2	4757-3
61 1/2	61 1/2			
		4761	4761-2	4761-3
65 1/2	65 1/2			
		4765	4765-2	4765-3
69 1/2	69 1/2			
		4769	4769-2	4769-3
73 1/2	73 1/2			
		4773	4773-2	4773-3
77 1/2	77 1/2			
		4777	4777-2	4777-3
81 1/2	81 1/2			
		4781	4781-2	4781-3

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:













CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - 47" WIDE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opq. Clad Rough Opq. Frame Glass				
	4-0 1/8	94 3/4	141 3/4		
	4-0 1/8	94 3/4	141 3/4		
	47	94	141		
	41 3/4	41 3/4	41 3/4		
85 3/4					
85 3/4					
85					
38 3/4					
	4785	4785-2	4785-3		
89 3/4					
89 3/4					
89					
40 3/4					
	4789	4789-2	4789-3		
93 3/4					
93 3/4					
93					
42 3/4					
	4793	4793-2	4793-3		
97 3/4					
97 3/4					
97					
44 3/4					
	4797	4797-2	4797-3		

OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.


Pinnacle Select Series


DOUBLE HUNG - ORIEL

ELEVATIONS


SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad	21 3/4
	Rough Opg.	21 3/4
	Frame	21
	Glass	15 3/4
69 1/2		
69 1/2		
69		
24 3/4-36 3/4		
		
		2169

	42 3/4
	42 3/4
	42
	15 3/4
	
	2169-2

	63 3/4
	63 3/4
	63
	15 3/4
	
	2169-3


OTHER GRILLE PATTERNS



PRAIRIE





PLAZA



DIAMOND

	Mas. Opg. Clad	25 3/4
	Rough Opg.	25 3/4
	Frame	25
	Glass	19 3/4
69 1/2		
69 1/2		
69		
24 3/4-36 3/4		
		
		2569

	50 3/4
	50 3/4
	50
	19 3/4
	
	2569-2

	75 3/4
	75 3/4
	75
	19 3/4
	
	2569-3

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*


FOR CLAD 3 1/2" FLAT CASING


- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*


* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL


NOTE:


ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING


	Mas. Opg. Clad	29 3/4
	Rough Opg.	29 3/4
	Frame	29
	Glass	23 3/4
69 1/2		
69 1/2		
69		
24 3/4-36 3/4		
		
		2969

	58 3/4
	58 3/4
	58
	23 3/4
	
	2969-2


	87 3/4
	87 3/4
	87
	23 3/4
	
	2969-3


	Mas. Opg. Clad	31 3/4
	Rough Opg.	31 3/4
	Frame	31
	Glass	25 3/4
69 1/2		
69 1/2		
69		
24 3/4-36 3/4		
		
		3169

	62 3/4
	62 3/4
	62
	25 3/4
	
	3169-2

	93 3/4
	93 3/4
	93
	25 3/4
	
	3169-3

	Mas. Opg. Clad	33 3/4
	Rough Opg.	33 3/4
	Frame	33
	Glass	27 3/4
69 1/2		
69 1/2		
69		
24 3/4-36 3/4		
		
		3369

	66 3/4
	66 3/4
	66
	27 3/4
	
	3369-2

	99 3/4
	99 3/4
	99
	27 3/4
	
	3369-3

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series


DOUBLE HUNG - ORIEL

ELEVATIONS

SCALE: 1/8" = 1'-0"

	Mas. Opg. Clad	35 3/4	70 3/4	105 3/4
	Rough Opg.	35 3/4	70 3/4	105 3/4
	Frame	35	70	105
	Glass	29 3/4	29 3/4	29 3/4
69 1/2				
69 1/2				
69				
24 3/4-36 3/4				
	3569	3569-2	3569-3	

OTHER GRILLE PATTERNS



	Mas. Opg. Clad	37 3/4	74 3/4	111 3/4
	Rough Opg.	37 3/4	74 3/4	111 3/4
	Frame	37	74	111
	Glass	31 3/4	31 3/4	31 3/4
69 1/2				
69 1/2				
69				
24 3/4-36 3/4				
	3769	3769-2	3769-3	

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING

	Mas. Opg. Clad	41 3/4	82 3/4	123 3/4
	Rough Opg.	41 3/4	82 3/4	123 3/4
	Frame	41	82	123
	Glass	35 3/4	35 3/4	35 3/4
69 1/2				
69 1/2				
69				
24 3/4-36 3/4				
	4169	4169-2	4169-3	

	Mas. Opg. Clad	45 3/4	90 3/4	135 3/4
	Rough Opg.	45 3/4	90 3/4	135 3/4
	Frame	45	90	135
	Glass	39 3/4	39 3/4	39 3/4
69 1/2				
69 1/2				
69				
24 3/4-36 3/4				
	4569	4569-2	4569-3	

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.


Pinnacle Select Series

DOUBLE HUNG - COTTAGE


ELEVATIONS

SCALE: 1/8" = 1'-0"


	Mas. Opg. Clad	21 3/4
	Rough Opg.	21 3/4
	Frame	21
	Glass	15 3/4
69 1/2		
69 1/2		
69		
36 3/4-24 3/4		
		
	2169	

	42 3/4
	42 3/4
	42
	15 3/4
	
	2169-2

	63 3/4
	63 3/4
	63
	15 3/4

	
	2169-3

OTHER GRILLE PATTERNS



PRAIRIE




PLAZA




DIAMOND

	Mas. Opg. Clad	25 3/4
	Rough Opg.	25 3/4
	Frame	25
	Glass	19 3/4
69 1/2		
69 1/2		
69		
36 3/4-24 3/4		
		
	2569	

	50 3/4
	50 3/4
	50
	19 3/4
	
	2569-2

	75 3/4
	75 3/4
	75
	19 3/4

	
	2569-3

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING


- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL


NOTE:


ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING


	Mas. Opg. Clad	29 3/4
	Rough Opg.	29 3/4
	Frame	29
	Glass	23 3/4
69 1/2		
69 1/2		
69		
36 3/4-24 3/4		
		
	2969	

	58 3/4
	58 3/4
	58
	23 3/4
	
	2969-2


	87 3/4
	87 3/4
	87
	23 3/4


	
	2969-3


	Mas. Opg. Clad	31 3/4
	Rough Opg.	31 3/4
	Frame	31
	Glass	25 3/4
69 1/2		
69 1/2		
69		
36 3/4-24 3/4		
		
	3169	

	62 3/4
	62 3/4
	62
	25 3/4
	
	3169-2


	93 3/4
	93 3/4
	93
	25 3/4

	
	3169-3

	Mas. Opg. Clad	33 3/4
	Rough Opg.	33 3/4
	Frame	33
	Glass	27 3/4
69 1/2		
69 1/2		
69		
36 3/4-24 3/4		
		
	3369	

	66 3/4
	66 3/4
	66
	27 3/4
	
	3369-2

	99 3/4
	99 3/4
	99
	27 3/4

	
	3369-3

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

SCALE: 1/8" = 1'-0"

PRAIRIE PLAZA DIAMOND

FOR CLAD BRICKMOULD

- ❑ ADD 2 13/16" TO FRAME WIDTH
- ❑ ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ❑ ADD 6 1/2" TO FRAME WIDTH
- ❑ ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ❑ ADD 5 7/8" TO FRAME WIDTH
- ❑ ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
TO CALCULATE MASONRY OPENING









































NOTES:
CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.

Pinnacle Select Series

DOUBLE HUNG - PICTURE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	15 3/4	17 3/4	25 3/4	29 3/4	31 3/4	33 3/4	37 3/4	49 3/4	61 3/4	73 3/4
	15 3/4	17 3/4	25 3/4	29 3/4	31 3/4	33 3/4	37 3/4	49 3/4	61 3/4	73 3/4
	15	17	25	29	31	33	37	49	61	73
	9 3/4	11 3/4	19 3/4	23 3/4	25 3/4	27 3/4	31 3/4	43 3/4	55 3/4	67 3/4
Mass. Opq. Clad Rough Opq. Frame Glass										
49 1/2										
49 1/2	1549	1749	2549	2949	3149	3349	3749	4949	6149	7349
53 1/2										
53 1/2	1553	1753	2553	2953	3153	3353	3753	4953	6153	7353
57 1/2										
57 1/2	1557	1757	2557	2957	3157	3357	3757	4957	6157	7357
61 1/2										
61 1/2	1561	1761	2561	2961	3161	3361	3761	4961	6161	7361
65 1/2										
65 1/2	1565	1765	2565	2965	3165	3365	3765	4965	6165	7365
69 1/2										
69 1/2	1569	1769	2569	2969	3169	3369	3769	4969	6169	7369
73 1/2										
73 1/2	1573	1773	2573	2973	3173	3373	3773	4973	6173	7373
77 1/2										
77 1/2	1577	1777	2577	2977	3177	3377	3777	4977	6177	7377

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG


- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING


- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL


OTHER GRILLE PATTERNS




PRAIRIE




SINGLE PLAZA



DOUBLE PLAZA



TRIPLE PLAZA



DIAMOND



2" SIMULATED
CHECKRAIL

NOTES:











CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY
OPENING.

Pinnacle Select Series

DOUBLE HUNG - PICTURE

ELEVATIONS

SCALE: 1/8" = 1'-0"

	15 3/4	17 3/4	25 3/4	29 3/4	31 3/4	33 3/4	37 3/4	49 3/4
Mas. Opp. Clad	15 3/4	17 3/4	25 3/4	29 3/4	31 3/4	33 3/4	37 3/4	49 3/4
Rough Opp.	15	17	25	29	31	33	37	49
Frame	9 3/4	11 3/4	19 3/4	23 3/4	25 3/4	27 3/4	31 3/4	43 3/4
Glass								
81 1/2								
81 1/2	1581	1781	2581	2981	3181	3381	3781	4981
81								
74 1/2								
85 1/2								
85 1/2	1585	1785	2585	2985	3185	3385	3785	4985
85								
78 1/2								
89 1/2								
89 1/2	1589	1789	2589	2989	3189	3389	3789	4989
89								
82 1/2								
93 1/2								
93 1/2	1593	1793	2593	2993	3193	3393	3793	4993
93								
86 1/2								
97 1/2								
97 1/2	1597	1797	2597	2997	3197	3397	3797	4997
97								
90 1/2								

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG


- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING


- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL


OTHER GRILLE PATTERNS




PRAIRIE




SINGLE PLAZA




DOUBLE PLAZA



TRIPLE PLAZA



DIAMOND



2" SIMULATED
CHECKRAIL

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY
OPENING.

Pinnacle Select Series

DOUBLE HUNG - TRANSOM

ELEVATIONS

SCALE: 1/8" = 1'-0"

CLAD (IN SASH)

Mas. Opp. Clad Rough Opp. Frame Glass												
	21 3/4	25 3/4	29 3/4	31 3/4	33 3/4	35 3/4	37 3/4	41 3/4	45 3/4	47 3/4	49 3/4	61 3/4
	21 3/4	25 3/4	29 3/4	31 3/4	33 3/4	35 3/4	37 3/4	41 3/4	45 3/4	47 3/4	49 3/4	61 3/4
	21	25	29	31	33	35	37	41	45	47	49	61
	15 3/4	19 3/4	23 3/4	25 3/4	27 3/4	29 3/4	31 3/4	35 3/4	39 3/4	41 3/4	43 3/4	55 3/4
14 1/2												
14 1/2	2114	2514	2914	3114	3314	3514	3714	4114	4514	4714	4914	6114
16 1/2												
16 1/2	2116	2516	2916	3116	3316	3516	3716	4116	4516	4716	4916	6116
18 1/2												
18 1/2	2118	2518	2918	3118	3318	3518	3718	4118	4518	4718	4918	6118
24 1/2												
24 1/2	2124	2524	2924	3124	3324	3524	3724	4124	4524	4724	4924	6124
30 1/2												
30 1/2	2130	2530	2930	3130	3330	3530	3730	4130	4530	4730	4930	6130
36 1/2												
36 1/2	2136	2536	2936	3136	3336	3536	3736	4136	4536	4736	4936	6136

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT*

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT*

FOR CLAD 3 1/2" FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT*

* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

OTHER GRILLE PATTERNS



PRAIRIE



DIAMOND



PLAZA

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.
ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING.